


Product Information



Model EROP280
Size 170 mm
 7 "
 100 g

Description

Long Snipe Nose Plier, oval-pointed serrated, robust but fine points for work in confined spaces. Box-joint.




	A	B	C	b	c
mm	64	13,5	8,0	2,0	1,8



Model EROP170
Size 120 mm
 4 "
 30 g

Flat Nose Plier, slim smooth jaws for delicate work. Box-joint.




	A	B	C	b	c
mm	22,5	9,5	6,0	1,2	3,0



Model EROP171
Size 120 mm
 4 "
 30 g

Flat Nose Plier, as 170SEB, but larger gripping surface. Box-joint.




	A	B	C	b	c
mm	22,5	9,5	6,0	1,2	4,0



Model EROP172
Size 125 mm
 5 "
 30 g

Round Nose Plier, smooth polished inside jaws for bending fine loops. Box-joint.




	A	B	C	b	c
mm	22,5	9,5	6,0	1,6	0,8

Product Information



Model EROP419
Size 130 mm
 5 "
 90 g




Description
 Sidecutter, robust, semi-flush cutting edges, for general use. Box-joint. Copper wire diameter 2 mm, soft steel – wire 1 mm

	A	B	C	b	c
mm	18	15	8,0		



Model EROP155
Size 110 mm
 4 "
 50 g




Description
 Sidecutter, most popular shape for assembly work, trimming printed circuit boards, also for radio and telephone work. Box-joint. Copper wire diameter 1,0 mm, diode wire 0,6 mm

	A	B	C	b	c
mm	13,5	11	7,5		



Model EROP355
Size 110 mm
 4 "
 50 g




Description
 Sidecutter, slim-line, fine cutting edges, for fine work. Box-joint. Copper wire diameter 1,0 mm.

	A	B	C	b	c
mm	11	9,5	7,5		



Model EROP357
Size 110 mm
 4 "
 35 g



Description
 Sidecutter, triangular head, fine cutting edges for cutting thin wires and cutting out tiny components, even when closely packed. Box-joint. Copper wire diameter 0,6 mm.

	A	B	C	b	c
mm	11	9,5	7,5	1,5	1,0

Product Information



Model


EROP330

Size

130 mm
5 "
70 g

Description

Oblique cutter, slim, cutting-edges bent 40°, ideal for tip-cutting on fine work. Exact guidance of cutting edges by box-joint. Copper wire diameter 1,0 mm, diode wire 0,6 mm.



	A	B	C	b	c
mm	22	12	7,5	7,5	5,0




Model

EROP331

120 mm
4 "
70 g

Oblique Cutter, heavy pattern, full-flush cutting of heavy copper wire. Box-joint, double leaf spring. Copper wire diameter up to 1,5 mm



	A	B	C	b	c
mm	12	12	7,5	9,0	7,5

For more information please contact:

Cooper Tools

Suite 15, Coniston House
Town Centre, Washington
NE38 7RN, Great Britain
Tel.: +44 1 91/419 77 00
Fax: +44 1 91/417 47 21

Cooper Tools GmbH

Carl-Benz-Str. 2
74354 Besigheim, Germany
Tel.: +49 7143/580-0
Fax: +49 7143/580-108
e-mail: info@coopertools.de