

**EGMONT INSTRUMENTS**

00-867 Warszawa, ul. Chłodna 39, pawilon 11

tel. 228506205÷07, 228506430÷32, kom. 692 501750, 604 060807, faks 226540248

e-mail eagle@egmont.com.pl, http://www.egmont.com.pl/eagle

UWAGI:

Ceny podane są w USD. Przeliczenie następuje według kursu sprzedaży MultiBanku z dnia zakupu.

Do cen prosimy doliczać 22% VAT.

Zastrzegamy sobie możliwość zmiany cen bez uprzedzenia i bez podawania przyczyn.

Zastrzegamy sobie prawo do błędów w cenniku.

Cennik nie stanowi oferty handlowej.

EAGLE Technology - EAGLE DAQ International Pricelist - 13-01-2010

PCI BOARDS - Digital I/O			
PCI-14B	24 Channel Digital Input/ 24 Output with 6 Counter Timers - Full Protection	\$	405.00
PCI-836A	24 Line DIO (3x 71055 PIO)	\$	171.00
PCI-836C	40 Line DIO (3x 71055 PIO)	\$	176.00
PCI-848A	48 Line DIO (6x 71055 PIO)	\$	207.00
PCI-848C	48 Line DIO (6x 71055 PIO) + 3x Counter Timers	\$	229.00
PCI-896A	96 Line DIO (4x 71055 PIO)	\$	273.00
PCI-896C	96 Line DIO (6x 71055 PIO) + 3x Counter Timers	\$	295.00
PCI-8192A	192 Line DIO (8x 71055 PIO)	\$	363.00
PCI-8192C	192 Line DIO (8x 71055 PIO) + 3x Counter Timers	\$	384.00
PCI-762-16	16 Channel Opto-Isolated Input Board	\$	262.00
PCI-762-32	32 Channel Opto-Isolated Input Board	\$	290.00
PCI-762-48	48 Channel Opto-Isolated Input Board	\$	317.00
PCI-763-16	16 Channel Reed Relay board with Digital I/O	\$	357.00
PCI-763-32	32 Channel Reed Relay board with Digital I/O	\$	428.00
PCI-769	16 Channel Opto-Isolated Input & 16 Channel Relay Output Board	\$	416.00
PCIe BOARDS - Digital I/O			
PCIe-836C	PCI Express Single Lane 40 Line DIO (3x 71055 PIO), 9 interrupts	\$	220.00
PCI BOARDS - Analog I/O			
PCI-30G	100kHz 16 Channel 12-bit A/D	\$	612.00
PCI-30G-32	100kHz 32 Channel 12-bit A/D	\$	643.00
PCI-30GA	100kHz 16 Channel 12-bit A/D + four 12 Bit DACs	\$	771.00
PCI-30GA-32	100kHz 32 Channel 12-bit A/D + four 12 Bit DACs	\$	801.00
PCI-725	100kHz 16 Channel 14-bit A/D	\$	405.00
PCI-726	100kHz 16 Channel 14-bit A/D, 24 DIO & Counters	\$	462.00
PCI-730	100kHz 16 Channel 14-bit A/D, 24 DIO, Counters & 4x14-bit DACS	\$	531.00
PCI-725E	100kHz 16 Channel 16-bit A/D	\$	543.00
PCI-726E	100kHz 16 Channel 16-bit A/D, 24 DIO & Counters	\$	600.00
PCI-730E	100kHz 16 Channel 16-bit A/D, 24 DIO, Counters & 4x16-bit DACS	\$	669.00
PCI-703-16	400kHz 16 Channel 14-bit A/D Multi-I/O	\$	717.00
PCI-703-16A	400kHz 16 Channel 14-bit A/D + two 14 Bit DACs Multi-I/O	\$	804.00
PCI-703-32	400kHz 32 Channel 14-bit A/D Multi-I/O	\$	825.00
PCI-703-32A	400kHz 32 Channel 14-bit A/D + two 14 Bit DACs Multi-I/O	\$	911.00
PCI-703-64	400kHz 64 Channel 14-bit A/D	\$	932.00
PCI-703-64A	400kHz 64 Channel 14-bit A/D + two 14 Bit DACs Multi-I/O	\$	1,020.00
PCI-703-S8	400kHz 8 Channel 14-bit A/D Multi-I/O, Sample & Hold	\$	1,260.00
PCI-703-S16	400kHz 16 Channel 14-bit A/D Multi-I/O, Sample & Hold	\$	1,611.00
PCI-703-S8A	400kHz 8 Channel 14-bit A/D Multi-I/O, Sample & Hold with 2x D/A	\$	1,361.00
PCI-703-S16A	400kHz 16 Channel 14-bit A/D Multi-I/O, Sample & Hold with 2x D/A	\$	1,711.00
PCI-766-8	8 Channel D/A Board with 16-Bit Analog Outputs & 6 Digital Inputs	\$	761.00
PCI-766-16	16 Channel D/A Board with 16-Bit Analog Outputs & 6 Digital Inputs	\$	1,029.00
PCI-766-24	24 Channel D/A Board with 16-Bit Analog Outputs & 6 Digital Inputs	\$	1,296.00
PCI BOARDS - Temperature Inputs			
PCI-773-R	16 Channel RTD Input Board	\$	800.00
PCI-773-T	16 Channel Thermocouple Input Board	\$	659.00
ISA BOARDS - Digital I/O			
PC-14A	48 Channel DIO	\$	146.00
PC-14B	48 Channel DIO with 3 Counter/Timers	\$	218.00
PC-31C	8 Port Serial 16450/16550 (RS-232)		
PC-36A	Enhanced 24 DIO with Isolation External IRQ (obsolete)		
PC-36C	Enhanced 24 DIO with Isolation External IRQ	\$	139.00

PC-62C	16 Optically Isolated I/P & DIO	\$	374.00
PC-63C	16 Channel Enhanced Reed Relay	\$	292.00
PC-65	16 Channel Optically-Isolated Digital O/P	\$	329.00
PC-192A	192 Line DIO (8x 71055 PIO)	\$	321.00
ISA BOARDS - Analog I/O			
PC126	ISA Bus 16 Single Ended AD 12 Bit, 2 DA, 8 Digital In, 8 Digital Out, 50 Khz	\$	397.00
PC-26AT	16 Channel 25kHz A/D		
PC-30AT	16 Channel 25kHz A/D, D/A, DIO		
PC-30D	200 kHz, AT-Bus w/Dual-DMA		
PC-30DS4	PC-30D Compatible with 4-Channel Simultaneous Sampling		
PC-30DS16	PC-30D Compatible with 16-Channel Simultaneous Sampling		
PC-30PGH	PC-30D Compatible with Programmable Gains (1, 10, 100, 1000)		
PC-30PGL	PC-30D Compatible with Programmable Gains (1, 2, 4, 8)		
PC-30G	100kHz 16 Channel A/D	\$	482.00
PC-30GA	100kHz 16 Channel A/D + four 12-Bit DACs	\$	756.00
PC-30GAS4	100kHz 4 Channel A/D Simul. Sampling + four 12-Bit DACs	\$	1,029.00
PC-30GAS16	100kHz 16 Channel A/D Simul. Sampling + four 12-Bit DACs	\$	1,464.00
PC-30GS4	100kHz 4 Channel A/D Simul. Sampling	\$	764.00
PC-30GS16	100kHz 16 Channel A/D Simul. Sampling	\$	1,282.00
PC-30F	330kHz 16 Channel A/D	\$	604.00
PC-30FA	330kHz 16 Channel A/D + four 12-Bit DACs	\$	853.00
PC-30FAS4	330kHz 4 Channel A/D Simul. Sampling + four 12-Bit DACs	\$	1,087.00
PC-30FAS16	330kHz 16 Channel A/D Simul. Sampling + four 12-Bit DACs	\$	1,728.00
PC-30FS4	330kHz 4 Channel A/D Simul. Sampling	\$	845.00
PC-30FS16	330kHz 16 Channel A/D Simul. Sampling	\$	1,505.00
PC40-SA-M-1	1 Channel ,12 Bits,115V rms,90V,400Hz,Synchro,5VA Module with PC-40 Base board	\$	2,218.00
PC40-SA-M-2	2 Channel ,12 Bits,115V rms,90V,400Hz,Synchro,5VA Module with PC-40 Base board	\$	4,214.00
PC40-SA-M-3	3 Channel ,12 Bits,115V rms,90V,400Hz,Synchro,5VA Module with PC-40 Base board	\$	6,211.00
PC40-SA-M-4	4 Channel ,12 Bits,115V rms,90V,400Hz,Synchro,5VA Module with PC-40 Base board	\$	8,208.00
PC40-SA-O-1	1 Channel ,12 Bits,115V rms,90V,400Hz,Synchro,1.5VA Module with PC-40 Base board	\$	2,218.00
PC40-SA-O-2	2 Channel ,12 Bits,115V rms,90V,400Hz,Synchro,1.5VA Module with PC-40 Base board	\$	4,214.00
PC40-SA-O-3	3 Channel ,12 Bits,115V rms,90V,400Hz,Synchro,1.5VA Module with PC-40 Base board	\$	6,211.00
PC40-SA-O-4	4 Channel ,12 Bits,115V rms,90V,400Hz,Synchro,1.5VA Module with PC-40 Base board	\$	8,208.00
PC40-SB-M-1	1 Channel ,12 Bits,26V rms,11.8V,400Hz,Synchro,5VA Module with PC-40 Base board	\$	2,218.00
PC40-SB-M-2	2 Channel ,12 Bits,26V rms,11.8V,400Hz,Synchro,5VA Module with PC-40 Base board	\$	4,214.00
PC40-SB-M-3	3 Channel ,12 Bits,26V rms,11.8V,400Hz,Synchro,5VA Module with PC-40 Base board	\$	6,211.00
PC40-SB-M-4	4 Channel ,12 Bits,26V rms,11.8V,400Hz,Synchro,5VA Module with PC-40 Base board	\$	8,208.00
PC40-SB-O-1	1 Channel ,12 Bits,26V rms,11.8V,400Hz,Synchro,1.5VA Module with PC-40 Base board	\$	2,218.00
PC40-SB-O-2	2 Channel ,12 Bits,26V rms,11.8V,400Hz,Synchro,1.5VA Module with PC-40 Base board	\$	4,214.00
PC40-SB-O-3	3 Channel ,12 Bits,26V rms,11.8V,400Hz,Synchro,1.5VA Module with PC-40 Base board	\$	6,211.00
PC40-SB-O-4	4 Channel ,12 Bits,26V rms,11.8V,400Hz,Synchro,1.5VA Module with PC-40 Base board	\$	8,208.00
PC40-SC-M-1	1 Channel ,12 Bits,115V rms,90V,400Hz,Resolver,5VA Module with PC-40 Base board	\$	2,218.00
PC40-SC-M-2	2 Channel ,12 Bits,115V rms,90V,400Hz,Resolver,5VA Module with PC-40 Base board	\$	4,214.00
PC40-SC-M-3	3 Channel ,12 Bits,115V rms,90V,400Hz,Resolver,5VA Module with PC-40 Base board	\$	6,211.00
PC40-SC-M-4	4 Channel ,12 Bits,115V rms,90V,400Hz,Resolver,5VA Module with PC-40 Base board	\$	8,208.00
PC40-SC-O-1	1 Channel ,12 Bits,115V rms,90V,400Hz,Resolver,1.5VA Module with PC-40 Base board	\$	2,218.00
PC40-SC-O-2	2 Channel ,12 Bits,115V rms,90V,400Hz,Resolver,1.5VA Module with PC-40 Base board	\$	4,214.00
PC40-SC-O-3	3 Channel ,12 Bits,115V rms,90V,400Hz,Resolver,1.5VA Module with PC-40 Base board	\$	6,211.00
PC40-SC-O-4	4 Channel ,12 Bits,115V rms,90V,400Hz,Resolver,1.5VA Module with PC-40 Base board	\$	8,208.00
PC40-SD-M-1	1 Channel ,12 Bits,26V rms,11.8V,400Hz,Resolver,5VA Module with PC-40 Base board	\$	2,218.00
PC40-SD-M-2	2 Channel ,12 Bits,26V rms,11.8V,400Hz,Resolver,5VA Module with PC-40 Base board	\$	4,214.00
PC40-SD-M-3	3 Channel ,12 Bits,26V rms,11.8V,400Hz,Resolver,5VA Module with PC-40 Base board	\$	6,211.00

PC40-SD-M-4	4 Channel ,12 Bits,26V rms,11.8V,400Hz,Resolver,5VA Module with PC-40 Base board	\$ 8,208.00
PC40-SD-O-1	1 Channel ,12 Bits,26V rms,11.8V,400Hz,Resolver,1.5VA Module with PC-40 Base board	\$ 2,218.00
PC40-SD-O-2	2 Channel ,12 Bits,26V rms,11.8V,400Hz,Resolver,1.5VA Module with PC-40 Base board	\$ 4,214.00
PC40-SD-O-3	3 Channel ,12 Bits,26V rms,11.8V,400Hz,Resolver,1.5VA Module with PC-40 Base board	\$ 6,211.00
PC40-SD-O-4	4 Channel ,12 Bits,26V rms,11.8V,400Hz,Resolver,1.5VA Module with PC-40 Base board	\$ 8,208.00
PC40-SE-M-1	1 Channel ,12 Bits,115V rms,90V,60Hz,Synchro,5VA Module with PC-40 Base board	\$ 2,218.00
PC40-SE-M-2	2 Channel ,12 Bits,115V rms,90V,60Hz,Synchro,5VA Module with PC-40 Base board	\$ 4,214.00
PC40-SE-M-3	3 Channel ,12 Bits,115V rms,90V,60Hz,Synchro,5VA Module with PC-40 Base board	\$ 6,211.00
PC40-SE-M-4	4 Channel ,12 Bits,115V rms,90V,60Hz,Synchro,5VA Module with PC-40 Base board	\$ 8,208.00
PC40-SE-O-1	1 Channel ,12 Bits,115V rms,90V,60Hz,Synchro,1.5VA Module with PC-40 Base board	\$ 2,218.00
PC40-SE-O-2	2 Channel ,12 Bits,115V rms,90V,60Hz,Synchro,1.5VA Module with PC-40 Base board	\$ 4,214.00
PC40-SE-O-3	3 Channel ,12 Bits,115V rms,90V,60Hz,Synchro,1.5VA Module with PC-40 Base board	\$ 6,211.00
PC40-SE-O-4	4 Channel ,12 Bits,115V rms,90V,60Hz,Synchro,1.5VA Module with PC-40 Base board	\$ 8,208.00
PC40-TA-M-1	1 Channel ,14 Bits,115V rms,90V,400Hz,Synchro,5VA Module with PC-40 Base board	\$ 2,218.00
PC40-TA-M-2	2 Channel ,14 Bits,115V rms,90V,400Hz,Synchro,5VA Module with PC-40 Base board	\$ 4,214.00
PC40-TA-M-3	3 Channel ,14 Bits,115V rms,90V,400Hz,Synchro,5VA Module with PC-40 Base board	\$ 6,211.00
PC40-TA-M-4	4 Channel ,14 Bits,115V rms,90V,400Hz,Synchro,5VA Module with PC-40 Base board	\$ 8,208.00
PC40-TA-O-1	1 Channel ,14 Bits,115V rms,90V,400Hz,Synchro,1.5VA Module with PC-40 Base board	\$ 2,218.00
PC40-TA-O-2	2 Channel ,14 Bits,115V rms,90V,400Hz,Synchro,1.5VA Module with PC-40 Base board	\$ 4,214.00
PC40-TA-O-3	3 Channel ,14 Bits,115V rms,90V,400Hz,Synchro,1.5VA Module with PC-40 Base board	\$ 6,211.00
PC40-TA-O-4	4 Channel ,14 Bits,115V rms,90V,400Hz,Synchro,1.5VA Module with PC-40 Base board	\$ 8,208.00
PC40-TB-M-1	1 Channel ,14 Bits,26V rms,11.8V,400Hz,Synchro,5VA Module with PC-40 Base board	\$ 2,218.00
PC40-TB-M-2	2 Channel ,14 Bits,26V rms,11.8V,400Hz,Synchro,5VA Module with PC-40 Base board	\$ 4,214.00
PC40-TB-M-3	3 Channel ,14 Bits,26V rms,11.8V,400Hz,Synchro,5VA Module with PC-40 Base board	\$ 6,211.00
PC40-TB-M-4	4 Channel ,14 Bits,26V rms,11.8V,400Hz,Synchro,5VA Module with PC-40 Base board	\$ 8,208.00
PC40-TB-O-1	1 Channel ,14 Bits,26V rms,11.8V,400Hz,Synchro,1.5VA Module with PC-40 Base board	\$ 2,218.00
PC40-TB-O-2	2 Channel ,14 Bits,26V rms,11.8V,400Hz,Synchro,1.5VA Module with PC-40 Base board	\$ 4,214.00
PC40-TB-O-3	3 Channel ,14 Bits,26V rms,11.8V,400Hz,Synchro,1.5VA Module with PC-40 Base board	\$ 6,211.00
PC40-TB-O-4	4 Channel ,14 Bits,26V rms,11.8V,400Hz,Synchro,1.5VA Module with PC-40 Base board	\$ 8,208.00
PC40-TC-M-1	1 Channel ,14 Bits,115V rms,90V,400Hz,Resolver,5VA Module with PC-40 Base board	\$ 2,218.00
PC40-TC-M-2	2 Channel ,14 Bits,115V rms,90V,400Hz,Resolver,5VA Module with PC-40 Base board	\$ 4,214.00
PC40-TC-M-3	3 Channel ,14 Bits,115V rms,90V,400Hz,Resolver,5VA Module with PC-40 Base board	\$ 6,211.00
PC40-TC-M-4	4 Channel ,14 Bits,115V rms,90V,400Hz,Resolver,5VA Module with PC-40 Base board	\$ 8,208.00
PC40-TC-O-1	1 Channel ,14 Bits,115V rms,90V,400Hz,Resolver,1.5VA Module with PC-40 Base board	\$ 2,218.00
PC40-TC-O-2	2 Channel ,14 Bits,115V rms,90V,400Hz,Resolver,1.5VA Module with PC-40 Base board	\$ 4,214.00
PC40-TC-O-3	3 Channel ,14 Bits,115V rms,90V,400Hz,Resolver,1.5VA Module with PC-40 Base board	\$ 6,211.00
PC40-TC-O-4	4 Channel ,14 Bits,115V rms,90V,400Hz,Resolver,1.5VA Module with PC-40 Base board	\$ 8,208.00
PC40-TD-M-1	1 Channel ,14 Bits,26V rms,11.8V,400Hz,Resolver,5VA Module with PC-40 Base board	\$ 2,218.00
PC40-TD-M-2	2 Channel ,14 Bits,26V rms,11.8V,400Hz,Resolver,5VA Module with PC-40 Base board	\$ 4,214.00
PC40-TD-M-3	3 Channel ,14 Bits,26V rms,11.8V,400Hz,Resolver,5VA Module with PC-40 Base board	\$ 6,211.00
PC40-TD-M-4	4 Channel ,14 Bits,26V rms,11.8V,400Hz,Resolver,5VA Module with PC-40 Base board	\$ 8,208.00
PC40-TD-O-1	1 Channel ,14 Bits,26V rms,11.8V,400Hz,Resolver,1.5VA Module with PC-40 Base board	\$ 2,218.00

PC40-TD-O-2	2 Channel ,14 Bits,26V rms,11.8V,400Hz,Resolver,1.5VA Module with PC-40 Base board	\$ 4,214.00
PC40-TD-O-3	3 Channel ,14 Bits,26V rms,11.8V,400Hz,Resolver,1.5VA Module with PC-40 Base board	\$ 6,211.00
PC40-TD-O-4	4 Channel ,14 Bits,26V rms,11.8V,400Hz,Resolver,1.5VA Module with PC-40 Base board	\$ 8,208.00
PC40-THE-M-1	1 Channel ,14 Bits,115V rms,90V,60Hz,Synchro,5VA Module with PC-40 Base board	\$ 2,218.00
PC40-THE-M-2	2 Channel ,14 Bits,115V rms,90V,60Hz,Synchro,5VA Module with PC-40 Base board	\$ 4,214.00
PC40-THE-M-3	3 Channel ,14 Bits,115V rms,90V,60Hz,Synchro,5VA Module with PC-40 Base board	\$ 6,211.00
PC40-THE-M-4	4 Channel ,14 Bits,115V rms,90V,60Hz,Synchro,5VA Module with PC-40 Base board	\$ 8,208.00
PC40-THE-O-1	1 Channel ,14 Bits,115V rms,90V,60Hz,Synchro,1.5VA Module with PC-40 Base board	\$ 2,218.00
PC40-THE-O-2	2 Channel ,14 Bits,115V rms,90V,60Hz,Synchro,1.5VA Module with PC-40 Base board	\$ 4,214.00
PC40-THE-O-3	3 Channel ,14 Bits,115V rms,90V,60Hz,Synchro,1.5VA Module with PC-40 Base board	\$ 6,211.00
PC40-THE-O-4	4 Channel ,14 Bits,115V rms,90V,60Hz,Synchro,1.5VA Module with PC-40 Base board	\$ 8,208.00
PC40-TF-N-1	1 Channel ,14 Bits,115V rms,90V,400Hz,Synchro,4.5VA Module with PC-40 Base board	\$ 3,478.00
PC40-TF-N-2	2 Channel ,14 Bits,115V rms,90V,400Hz,Synchro,4.5VA Module with PC-40 Base board	\$ 6,734.00
PC40-TF-N-3	3 Channel ,14 Bits,115V rms,90V,400Hz,Synchro,4.5VA Module with PC-40 Base board	\$ 9,991.00
PC40-TF-N-4	4 Channel ,14 Bits,115V rms,90V,400Hz,Synchro,4.5VA Module with PC-40 Base board	\$ 13,248.00
PC40-TG-O-1	1 Channel ,14 Bits,115V rms,90V,60Hz,Synchro,1.5VA Module with PC-40 Base board	\$ 3,478.00
PC40-TG-O-2	2 Channel ,14 Bits,115V rms,90V,60Hz,Synchro,1.5VA Module with PC-40 Base board	\$ 6,734.00
PC40-TG-O-3	3 Channel ,14 Bits,115V rms,90V,60Hz,Synchro,1.5VA Module with PC-40 Base board	\$ 9,991.00
PC40-TG-O-4	4 Channel ,14 Bits,115V rms,90V,60Hz,Synchro,1.5VA Module with PC-40 Base board	\$ 13,248.00
PC-41A-1	1 channel 11-bit 400kHz LVDT module with PC-41 Base board	\$ 3,324.00
PC-41A-2	2 channel 11-bit 400kHz LVDT module with PC-41 Base board	\$ 6,409.00
PC-41A-3	3 channel 11-bit 400kHz LVDT module with PC-41 Base board	\$ 9,494.00
PC-41A-4	4 channel 11-bit 400kHz LVDT module with PC-41 Base board	\$ 12,579.00
PC-41A-5	5 channel 11-bit 400kHz LVDT module with PC-41 Base board	\$ 15,664.00
PC-41A-6	6 channel 11-bit 400kHz LVDT module with PC-41 Base board	\$ 18,749.00
PC-41A-7	7 channel 11-bit 400kHz LVDT module with PC-41 Base board	\$ 21,834.00
PC-41A-8	8 channel 11-bit 400kHz LVDT module with PC-41 Base board	\$ 24,919.00
PC-41B-1	1 channel 11-bit 1-10kHz LVDT module with PC-41 Base board	\$ 3,324.00
PC-41B-2	2 channel 11-bit 1-10kHz LVDT module with PC-41 Base board	\$ 6,409.00
PC-41B-3	3 channel 11-bit 1-10kHz LVDT module with PC-41 Base board	\$ 9,494.00
PC-41B-4	4 channel 11-bit 1-10kHz LVDT module with PC-41 Base board	\$ 12,579.00
PC-41B-5	5 channel 11-bit 1-10kHz LVDT module with PC-41 Base board	\$ 15,664.00
PC-41B-6	6 channel 11-bit 1-10kHz LVDT module with PC-41 Base board	\$ 18,749.00
PC-41B-7	7 channel 11-bit 1-10kHz LVDT module with PC-41 Base board	\$ 21,834.00
PC-41B-8	8 channel 11-bit 1-10kHz LVDT module with PC-41 Base board	\$ 24,919.00
PC-42	110A Series Module Power Oscillator for use with PC-40, PC-41, PC-58 (See options below)	\$ 690.00
PC-42-100	6V Output Voltage, 400Hz Frequency	\$ 1,435.00
PC-42-101	12V Output Voltage, 400Hz Frequency	\$ 1,435.00
PC-42-102	26V Output Voltage, 400Hz Frequency	\$ 1,435.00
PC-42-103	115V Output Voltage, 400Hz Frequency	\$ 1,435.00
PC-42-104	6V Output Voltage, 1.0kHz Frequency	\$ 1,435.00
PC-42-105	12V Output Voltage, 1.0kHz Frequency	\$ 1,435.00
PC-42-106	6V Output Voltage, 2.6kHz Frequency	\$ 1,435.00
PC-42-107	12V Output Voltage, 2.6kHz Frequency	\$ 1,435.00
PC-42-108	6V Output Voltage, 5.0kHz Frequency	\$ 1,435.00
PC-42-109	12V Output Voltage, 5.0kHz Frequency	\$ 1,435.00
PC-42-110	6V Output Voltage, 10.0kHz Frequency	\$ 1,435.00
PC-42-111	12V Output Voltage, 10.0kHz Frequency	\$ 1,435.00
PC58-A-1	1 channel , 12 Bits, 115V rms, 90V, 50Hz-2.6kHz, Synchro Module with PC-58 Base board	\$ 1,477.00
PC58-A-2	2 channel , 12 Bits, 115V rms, 90V, 50Hz-2.6kHz, Synchro Module with PC-58 Base board	\$ 2,714.00
PC58-A-3	3 channel , 12 Bits, 115V rms, 90V, 50Hz-2.6kHz, Synchro Module with PC-58 Base board	\$ 3,952.00
PC58-A-4	4 channel , 12 Bits, 115V rms, 90V, 50Hz-2.6kHz, Synchro Module with PC-58 Base board	\$ 5,190.00
PC58-A-5	5 channel , 12 Bits, 115V rms, 90V, 50Hz-2.6kHz, Synchro Module with PC-58 Base board	\$ 6,427.00

PC58-A-6	6 channel , 12 Bits, 115V rms, 90V, 50Hz-2.6kHz, Synchro Module with PC-58 Base board	\$ 7,665.00
PC58-A-7	7 channel , 12 Bits, 115V rms, 90V, 50Hz-2.6kHz, Synchro Module with PC-58 Base board	\$ 8,902.00
PC58-A-8	8 channel , 12 Bits, 115V rms, 90V, 50Hz-2.6kHz, Synchro Module with PC-58 Base board	\$ 10,140.00
PC58-B-1	1 channel , 12 Bits, 26V rms, 11.8V, 50Hz-2.6kHz, Synchro Module with PC-58 Base board	\$ 1,477.00
PC58-B-2	2 channel , 12 Bits, 26V rms, 11.8V, 50Hz-2.6kHz, Synchro Module with PC-58 Base board	\$ 2,714.00
PC58-B-3	3 channel , 12 Bits, 26V rms, 11.8V, 50Hz-2.6kHz, Synchro Module with PC-58 Base board	\$ 3,952.00
PC58-B-4	4 channel , 12 Bits, 26V rms, 11.8V, 50Hz-2.6kHz, Synchro Module with PC-58 Base board	\$ 5,190.00
PC58-B-5	5 channel , 12 Bits, 26V rms, 11.8V, 50Hz-2.6kHz, Synchro Module with PC-58 Base board	\$ 6,427.00
PC58-B-6	6 channel , 12 Bits, 26V rms, 11.8V, 50Hz-2.6kHz, Synchro Module with PC-58 Base board	\$ 7,665.00
PC58-B-7	7 channel , 12 Bits, 26V rms, 11.8V, 50Hz-2.6kHz, Synchro Module with PC-58 Base board	\$ 8,902.00
PC58-B-8	8 channel , 12 Bits, 26V rms, 11.8V, 50Hz-2.6kHz, Synchro Module with PC-58 Base board	\$ 10,140.00
PC58-C-1	1 channel , 12 Bits, 2.5V rms, 2.5V, 360Hz-2.6kHz, Resolver Module with PC-58 Base board	\$ 1,477.00
PC58-C-2	2 channel , 12 Bits, 2.5V rms, 2.5V, 360Hz-2.6kHz, Resolver Module with PC-58 Base board	\$ 2,714.00
PC58-C-3	3 channel , 12 Bits, 2.5V rms, 2.5V, 360Hz-2.6kHz, Resolver Module with PC-58 Base board	\$ 3,952.00
PC58-C-4	4 channel , 12 Bits, 2.5V rms, 2.5V, 360Hz-2.6kHz, Resolver Module with PC-58 Base board	\$ 5,190.00
PC58-C-5	5 channel , 12 Bits, 2.5V rms, 2.5V, 360Hz-2.6kHz, Resolver Module with PC-58 Base board	\$ 6,427.00
PC58-C-6	6 channel , 12 Bits, 2.5V rms, 2.5V, 360Hz-2.6kHz, Resolver Module with PC-58 Base board	\$ 7,665.00
PC58-C-7	7 channel , 12 Bits, 2.5V rms, 2.5V, 360Hz-2.6kHz, Resolver Module with PC-58 Base board	\$ 8,902.00
PC58-C-8	8 channel , 12 Bits, 2.5V rms, 2.5V, 360Hz-2.6kHz, Resolver Module with PC-58 Base board	\$ 10,140.00
PC58-D-1	1 channel , 12 Bits, 26V rms, 11.8V, 50Hz-2.6kHz, Resolver Module with PC-58 Base board	\$ 1,477.00
PC58-D-2	2 channel , 12 Bits, 26V rms, 11.8V, 50Hz-2.6kHz, Resolver Module with PC-58 Base board	\$ 2,714.00
PC58-D-3	3 channel , 12 Bits, 26V rms, 11.8V, 50Hz-2.6kHz, Resolver Module with PC-58 Base board	\$ 3,952.00
PC58-D-4	4 channel , 12 Bits, 26V rms, 11.8V, 50Hz-2.6kHz, Resolver Module with PC-58 Base board	\$ 5,190.00
PC58-D-5	5 channel , 12 Bits, 26V rms, 11.8V, 50Hz-2.6kHz, Resolver Module with PC-58 Base board	\$ 6,427.00
PC58-D-6	6 channel , 12 Bits, 26V rms, 11.8V, 50Hz-2.6kHz, Resolver Module with PC-58 Base board	\$ 7,665.00
PC58-D-7	7 channel , 12 Bits, 26V rms, 11.8V, 50Hz-2.6kHz, Resolver Module with PC-58 Base board	\$ 8,902.00
PC58-D-8	8 channel , 12 Bits, 26V rms, 11.8V, 50Hz-2.6kHz, Resolver Module with PC-58 Base board	\$ 10,140.00
PC58-E-1	1 channel , 12 Bits, 115V rms, 90V, 50Hz-2.6kHz, Resolver Module with PC-58 Base board	\$ 1,477.00
PC58-E-2	2 channel , 12 Bits, 115V rms, 90V, 50Hz-2.6kHz, Resolver Module with PC-58 Base board	\$ 2,714.00
PC58-E-3	3 channel , 12 Bits, 115V rms, 90V, 50Hz-2.6kHz, Resolver Module with PC-58 Base board	\$ 3,952.00
PC58-E-4	4 channel , 12 Bits, 115V rms, 90V, 50Hz-2.6kHz, Resolver Module with PC-58 Base board	\$ 5,190.00
PC58-E-5	5 channel , 12 Bits, 115V rms, 90V, 50Hz-2.6kHz, Resolver Module with PC-58 Base board	\$ 6,427.00
PC58-E-6	6 channel , 12 Bits, 115V rms, 90V, 50Hz-2.6kHz, Resolver Module with PC-58 Base board	\$ 7,665.00
PC58-E-7	7 channel , 12 Bits, 115V rms, 90V, 50Hz-2.6kHz, Resolver Module with PC-58 Base board	\$ 8,902.00
PC58-E-8	8 channel , 12 Bits, 115V rms, 90V, 50Hz-2.6kHz, Resolver Module with PC-58 Base board	\$ 10,140.00
PC-60	16 Differential mV I/P Channel Analog	
PC-61	8 Differential mA I/P Channel Analog (0-20mA)	
PC-66A	8 Channel Analog O/P	
PC-66B	12 Channel Analog O/P	
PC-66C-8	8 Channel D/A	\$ 636.00
PC-66C-12	12 Channel D/A	\$ 797.00
PC-68-1	One Channel Strain Guage Card	\$ 937.00
PC-68-2	Two Channel Strain Guage Card	\$ 1,755.00
PC-68-3	Three Channel Strain Guage Card	\$ 2,559.00
PC-68-4	Four Channel Strain Guage Card	\$ 3,216.00
PC-74HA	30kHz DT-Compatible (Gains 1, 2, 4, 8)	
PC-74HC	80kHz DT-Compatible (Gains 1, 2, 4, 8)	

PC-74LA	30kHz DT-Compatible (Gains 1, 10, 100, 500)		
PC-74LC	80kHz DT-Compatible (Gains 1, 10, 100, 500)		
PC-126	Laptop Compatible 16 Channel		
PC-127	Laptop Compatible 4 Channel Simultaneous		
PC-166	16 Channel D/A No programmable reference		
PC-166B	8 Channel D/A No programmable reference		
PC-167	16 Channel D/A 4 programmable reference		
PC-167A	16 Channel D/A 1 programmable reference		
PC-167B	8 Channel D/A 1 programmable reference		
PC-266	4 Channel 16 bit Analog Output D/A		
ISA BOARDS - Temperature Inputs			
PC-73C-T	Precision Thermocouple	\$	803.00
PC-73C-R	Precision RTD	\$	803.00
PC/104 & PC/104-Plus Boards			
PC104-30H	833kHz Analog Input Board	\$	301.00
PC104-30F	330kHz 16 Channel A/D	\$	521.00
PC104-30FA	330kHz 16 Channel A/D + four 12 bit DACs	\$	675.00
PC104-30G	100kHz 16 Channel A/D	\$	456.00
PC104-30GA	100kHz 16 Channel A/D + four 12 bit DACs	\$	633.00
PC104-72A	72 Channel Digital I/O Board	\$	162.00
PC104PLUS-30C	PC104+ 100kHz 16 Channel 14-bit A/D, 24 DIO, Counters & 4x14-bit DACS	\$	546.00
PC104PLUS-30I	PC104+ 100kHz 16 Channel 14-bit A/D, 24 DIO, Counters & 4x14-bit DACS - Extended Temperature Range Model (-30 to +85°)	\$	594.00
PC104PLUS-26C	PC104+ 100kHz 16 Channel 14-bit A/D, 24 DIO, Counters	\$	485.00
PC104PLUS-69	PC104+ 16 Channel Opto-Isolated Input & 16 Channel Relay Output Board	\$	569.00
USB MICRODAQ - Digital I/O			
USB-24A	USB 24 Channel DIO Unit - USB powered - incl 1.8Mtr USB Cable	\$	178.00
USB-72A	USB 72 Channel DIO Unit - USB Powered - incl 1.8Mtr USB Cable	\$	251.00
USB-120A	USB 120 Channel DIO Unit - incl 1.8Mtr USB Cable & 9VDC Power Supply	\$	359.00
USB-62-16	USB 24 Channel DIO Unit with additional 16 Opto Isolated Digital Inputs - incl 1.8Mtr USB Cable & 9VDC Power Supply	\$	372.00
USB-62-32	USB 24 Channel DIO Unit with additional 32 Opto Isolated Digital Inputs - incl 1.8Mtr USB Cable & 9VDC Power Supply	\$	480.00
USB-63-16	USB 24 Channel DIO Unit with additional 16 Reed Relay Digital Outputs - incl 1.8Mtr USB Cable & 9VDC Power Supply	\$	422.00
USB-63-32	USB 24 Channel DIO Unit with additional 32 Reed Relay Digital Outputs - incl 1.8Mtr USB Cable & 9VDC Power Supply	\$	585.00
USB-69-16	USB 24 Channel DIO Unit with additional 8 Opto Isolated Digital Inputs & 8 Reed Relay Digital Outputs - incl 1.8Mtr USB Cable & 9VDC Power Supply	\$	445.00
USB-69-32	USB 24 Channel DIO Unit with additional 16 Opto Isolated Digital Inputs & 16 Reed Relay Digital Outputs - incl 1.8Mtr USB Cable & 9VDC Power Supply	\$	590.00
USB-48C	USB 48 Channel DIO Unit with 6 Counter/Timers - incl 1.8Mtr USB Cable & 9VDC Power Supply	\$	376.00
USB-96C	USB 96 Channel DIO Unit with 6 Counter/Timers - incl 1.8Mtr USB Cable & 9VDC Power Supply	\$	448.00
USB MICRODAQ - Analog I/O			
UDAQLITE	USB 8 Channel 49kHz 12-bit A/D, 2x 12-bit DACS, 16 DIO, 1 Counter/Timer. - USB Powered	\$	206.00
UDAQLITE - Unboxed	USB 8 Channel 49kHz 12-bit A/D, 2x 12-bit DACS, 16 DIO, 1 Counter/Timer. - USB Powered	\$	194.00
USB-26A16	USB 16 Channel 250KHz 14-bit A/D, 24 DIO - incl 1.8Mtr USB Cable & 9VDC Power Supply	\$	688.00
USB-26A16-BNC	USB 8 Differential Channel 250KHz 14-bit A/D with BNC connectors, 24 DIO - incl 1.8Mtr USB Cable & 9VDC Power Supply	\$	869.00
USB-26B16	USB2.0 16 Channel 400KHz 14-bit A/D, 24 DIO - incl 1.8Mtr USB Cable & 9VDC Power Supply	\$	816.00
USB-26B16-BNC	USB2.0 8 Differential Channel 400KHz 14-bit A/D with BNC connectors, 24 DIO - incl 1.8Mtr USB Cable & 9VDC Power Supply	\$	997.00
USB-26C16	USB2.0 16 Channel 250KHz 16-bit A/D, 24 DIO - incl 1.8Mtr USB Cable & 9VDC Power Supply	\$	1,110.00
USB-26C16-BNC	USB2.0 8 Differential Channel 250KHz 16-bit A/D with BNC connectors, 24 DIO - incl 1.8Mtr USB Cable & 9VDC Power Supply	\$	1,291.00
USB-26C32	USB2.0 32 Channel 250KHz 16-bit A/D, 24 DIO - incl 1.8Mtr USB Cable & 9VDC Power Supply	\$	1,554.00
USB-26D16	USB2.0 16 Channel 1MHz 16-bit A/D, 24 DIO - incl 1.8Mtr USB Cable & 9VDC Power Supply	\$	1,293.00
USB-26D16-BNC	USB2.0 8 Differential Channel 1MHz 16-bit A/D with BNC connectors, 24 DIO - incl 1.8Mtr USB Cable & 9VDC Power Supply	\$	1,474.00
USB-26D32	USB2.0 32 Channel 1MHz 16-bit A/D, 24 DIO - incl 1.8Mtr USB Cable & 9VDC Power Supply	\$	1,810.00
USB-30A16	USB 16 Channel 250KHz 14-bit A/D, 4 x 14-bit DACS, 24 DIO - incl 1.8Mtr USB Cable & 9VDC Power Supply	\$	754.00
USB-30A16-BNC	USB 8 Differential Channel 250KHz 14-bit A/D with BNC connectors, 4 x 14-bit DACS, 24 DIO - incl 1.8Mtr USB Cable & 9VDC Power Supply	\$	936.00
USB-30B16	USB2.0 16 Channel 400KHz 14-bit A/D, 4 x 14-bit DACS, 24 DIO - incl 1.8Mtr USB Cable & 9VDC Power Supply	\$	887.00

USB-30B16-BNC	USB2.0 8 Differential Channel 400KHz 14-bit A/D with BNC connectors, 4 x 14-bit DACS, 24 DIO - incl 1.8Mtr USB Cable & 9VDC Power Supply	\$ 1,069.00
USB-30C16	USB2.0 16 Channel 250KHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - incl 1.8Mtr USB Cable & 9VDC Power Supply	\$ 1,210.00
USB-30C16-BNC	USB2.0 8 Differential Channel 250KHz 16-bit A/D with BNC connectors, 4 x 16-bit DACS, 24 DIO - incl 1.8Mtr USB Cable & 9VDC Power Supply	\$ 1,391.00
USB-30C32	USB2.0 32 Channel 250KHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - incl 1.8Mtr USB Cable & 9VDC Power Supply	\$ 1,694.00
USB-30D16	USB2.0 16 Channel 1MHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - incl 1.8Mtr USB Cable & 9VDC Power Supply	\$ 1,402.00
USB-30D16-BNC	USB2.0 8 Differential Channel 1MHz 16-bit A/D with BNC connectors, 4 x 16-bit DACS, 24 DIO - incl 1.8Mtr USB Cable & 9VDC Power Supply	\$ 1,583.00
USB-30D32	USB2.0 32 Channel 1MHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - incl 1.8Mtr USB Cable & 9VDC Power Supply	\$ 1,962.00
USB MICRODAQ - Temperature Inputs		
USB-73T8	USB 8 Channel 14-bit Thermocouple Input Unit, 24 DIO - incl 1.8Mtr USB Cable, CJC Screw Terminal Adaptor & 9VDC Power Supply	\$ 733.00
USB-73T16	USB 16 Channel 14-bit Thermocouple Input Unit, 24 DIO - incl 1.8Mtr USB Cable, 2 x CJC Screw Terminal Adaptor & 9VDC Power Supply	\$ 868.00
USB-73T32	USB 32 Channel 14-bit Thermocouple Input Unit, 24 DIO - incl 1.8Mtr USB Cable, 4 x CJC Screw Terminal Adaptors & 9VDC Power Supply	\$ 1,232.00
USB-73R8	USB 8 Channel 14-bit RTD Input Unit, 24 DIO - incl 1.8Mtr USB Cable, RTD Screw Terminal Adaptor & 9VDC Power Supply	\$ 906.00
USB-73R16	USB 16 Channel 14-bit RTD Input Unit, 24 DIO - incl 1.8Mtr USB Cable, 2 x RTD Screw Terminal Adaptor & 9VDC Power Supply	\$ 1,133.00
USB-73R32	USB 32 Channel 14-bit RTD Input Unit, 24 DIO - incl 1.8Mtr USB Cable, 4 x RTD Screw Terminal Adaptors & 9VDC Power Supply	\$ 1,677.00
USB-30A16-73T16		
USB-30A16-73T16	USB 16 Channel 250KHz 14-bit A/D, 16 Channel 14-bit Thermocouple Input, 4 x 14-bit DACS, 24 DIO - incl 1.8Mtr USB Cable, 2 x CJC Screw Terminal Adaptor & 9VDC Power Supply	\$ 1,203.00
USB-30B16-73T16		
USB-30B16-73T16	USB2.0 16 Channel 400KHz 14-bit A/D, 16 Channel 14-bit Thermocouple Input, 4 x 14-bit DACS, 24 DIO - incl 1.8Mtr USB Cable, 2 x CJC Screw Terminal Adaptor & 9VDC Power Supply	\$ 1,377.00
USB-30C16-73T16		
USB-30C16-73T16	USB2.0 16 Channel 250KHz 16-bit A/D, 16 Channel 14-bit Thermocouple Input, 4 x 16-bit DACS, 24 DIO - incl 1.8Mtr USB Cable, 2 x CJC Screw Terminal Adaptor & 9VDC Power Supply	\$ 1,747.00
USB-30D16-73T16		
USB-30D16-73T16	USB2.0 16 Channel 1MHz 16-bit A/D, 16 Channel 14-bit Thermocouple Input, 4 x 16-bit DACS, 24 DIO - incl 1.8Mtr USB Cable, 2 x CJC Screw Terminal Adaptor & 9VDC Power Supply	\$ 1,989.00
USB-30A16-73R16		
USB-30A16-73R16	USB 16 Channel 250KHz 14-bit A/D, 16 Channel 14-bit RTD Input, 4 x 14-bit DACS, 24 DIO - incl 1.8Mtr USB Cable, 2 x RTD Screw Terminal Adaptor & 9VDC Power Supply	\$ 1,476.00
USB-30B16-73R16		
USB-30B16-73R16	USB2.0 16 Channel 400KHz 14-bit A/D, 16 Channel 14-bit RTD Input, 4 x 14-bit DACS, 24 DIO - incl 1.8Mtr USB Cable, 2 x RTD Screw Terminal Adaptor & 9VDC Power Supply	\$ 1,648.00
USB-30C16-73R16		
USB-30C16-73R16	USB2.0 16 Channel 250KHz 16-bit A/D, 16 Channel 14-bit RTD Input, 4 x 16-bit DACS, 24 DIO - incl 1.8Mtr USB Cable, 2 x RTD Screw Terminal Adaptor & 9VDC Power Supply	\$ 2,020.00
USB-30D16-73R16		
USB-30D16-73R16	USB2.0 16 Channel 1MHz 16-bit A/D, 16 Channel 14-bit RTD Input, 4 x 16-bit DACS, 24 DIO - incl 1.8Mtr USB Cable, 2 x RTD Screw Terminal Adaptor & 9VDC Power Supply	\$ 2,261.00
SERIAL MICRODAQ - Digital I/O		
SRL-24A-RS232	RS232 24 Channel DIO Unit - incl 2Mtr RS232 Cable & 9VDC Power Supply	\$ 251.00
SRL-24A-RS485	RS485 24 Channel DIO Unit - incl ADPT-9 & 9VDC Power Supply	\$ 251.00
SRL-72A-RS232	RS232 72 Channel DIO Unit - incl 2Mtr RS232 Cable & 9VDC Power Supply	\$ 323.00
SRL-72A-RS485	RS485 72 Channel DIO Unit - incl ADPT-9 & 9VDC Power Supply	\$ 323.00
SRL-120A-RS232	RS232 120 Channel DIO Unit - incl 2Mtr RS232 Cable & 9VDC Power Supply	\$ 396.00
SRL-120A-RS485	RS485 120 Channel DIO Unit - incl ADPT-9 & 9VDC Power Supply	\$ 396.00
SRL-62-16-RS232	RS232 24 Channel DIO Unit with additional 16 Opto Isolated Digital Inputs - incl 2Mtr RS232 Cable & 9VDC Power Supply	\$ 407.00
SRL-62-16-RS485	RS485 24 Channel DIO Unit with additional 16 Opto Isolated Digital Inputs - incl ADPT-9 & 9VDC Power Supply	\$ 407.00
SRL-62-32-RS232	RS232 24 Channel DIO Unit with additional 32 Opto Isolated Digital Inputs - incl 2Mtr RS232 Cable & 9VDC Power Supply	\$ 517.00
SRL-62-32-RS485	RS485 24 Channel DIO Unit with additional 32 Opto Isolated Digital Inputs - incl ADPT-9 & 9VDC Power Supply	\$ 517.00
SRL-63-16-RS232	RS232 24 Channel DIO Unit with additional 16 Reed Relay Digital Outputs - incl 2Mtr RS232 Cable & 9VDC Power Supply	\$ 458.00
SRL-63-16-RS485	RS485 24 Channel DIO Unit with additional 16 Reed Relay Digital Outputs - incl ADPT-9 & 9VDC Power Supply	\$ 458.00
SRL-63-32-RS232	RS232 24 Channel DIO Unit with additional 32 Reed Relay Digital Outputs - incl 2Mtr RS232 Cable & 9VDC Power Supply	\$ 622.00
SRL-63-32-RS485	RS485 24 Channel DIO Unit with additional 32 Reed Relay Digital Outputs - incl ADPT-9 & 9VDC Power Supply	\$ 622.00
SRL-69-16-RS232	RS232 24 Channel DIO Unit with additional 8 Opto Isolated Digital Inputs & 8 Reed Relay Digital Outputs - incl 2Mtr RS232 Cable & 9VDC Power Supply	\$ 482.00
SRL-69-16-RS485	RS485 24 Channel DIO Unit with additional 8 Opto Isolated Digital Inputs & 8 Reed Relay Digital Outputs - incl ADPT-9 & 9VDC Power Supply	\$ 482.00
SRL-69-32-RS232	RS232 24 Channel DIO Unit with additional 16 Opto Isolated Digital Inputs & 16 Reed Relay Digital Outputs - incl 2Mtr RS232 Cable & 9VDC Power Supply	\$ 627.00

SRL-69-32-RS485	RS485 24 Channel DIO Unit with additional 16 Opto Isolated Digital Inputs & 16 Reed Relay Digital Outputs - incl ADPT-9 & 9VDC Power Supply	\$	627.00
SRL-48C-RS232	RS232 48 Channel DIO Unit with 6 Counter/Timers - incl 2Mtr RS232 Cable & 9VDC Power Supply	\$	413.00
SRL-48C-RS485	RS485 48 Channel DIO Unit with 6 Counter/Timers - incl ADPT-9 & 9VDC Power Supply	\$	413.00
SRL-96C-RS232	RS232 96 Channel DIO Unit with 6 Counter/Timers - incl 2Mtr RS232 Cable & 9VDC Power Supply	\$	485.00
SRL-96C-RS485	RS485 96 Channel DIO Unit with 6 Counter/Timers - incl ADPT-9 & 9VDC Power Supply	\$	485.00
SERIAL MICRODAQ - Analog I/O			
SRL-26A16-RS232	RS232 16 Channel 3KHz 14-bit A/D, 24 DIO - incl 2Mtr RS232 Cable & 9VDC Power Supply	\$	724.00
SRL-26A16-RS232-BNC	RS232 8 Differential Channel 3KHz 14-bit A/D with BNC connectors, 24 DIO - incl 2Mtr RS232 Cable & 9VDC Power Supply	\$	906.00
SRL-26A16-RS485	RS485 16 Channel 3KHz 14-bit A/D, 24 DIO - incl ADPT-9 & 9VDC Power Supply	\$	724.00
SRL-26A16-RS485-BNC	RS485 8 Differential Channel 3KHz 14-bit A/D with BNC connectors, 24 DIO - incl ADPT-9 & 9VDC Power Supply	\$	906.00
SRL-26C16-RS232	RS232 16 Channel 3KHz 16-bit A/D, 24 DIO - incl 2Mtr RS232 Cable & 9VDC Power Supply	\$	1,147.00
SRL-26C16-RS232-BNC	RS232 8 Differential Channel 3KHz 16-bit A/D with BNC connectors, 24 DIO - incl 2Mtr RS232 Cable & 9VDC Power Supply	\$	1,327.00
SRL-26C16-RS485	RS485 16 Channel 3KHz 16-bit A/D, 24 DIO - incl ADPT-9 & 9VDC Power Supply	\$	1,147.00
SRL-26C16-RS485-BNC	RS485 8 Differential Channel 3KHz 16-bit A/D with BNC connectors, 24 DIO - incl ADPT-9 & 9VDC Power Supply	\$	1,327.00
SRL-26C32-RS232	RS232 32 Channel 3KHz 16-bit A/D, 24 DIO - incl 2Mtr RS232 Cable & 9VDC Power Supply	\$	1,591.00
SRL-26C32-RS485	RS485 32 Channel 3KHz 16-bit A/D, 24 DIO - incl ADPT-9 & 9VDC Power Supply	\$	1,591.00
SRL-30A16-RS232	RS232 16 Channel 3KHz 14-bit A/D, 4 x 14-bit DACS, 24 DIO - incl 2Mtr RS232 Cable & 9VDC Power Supply	\$	790.00
SRL-30A16-RS232-BNC	RS232 8 Differential Channel 3KHz 14-bit A/D with BNC connectors, 4 x 14-bit DACS, 24 DIO - incl 2Mtr RS232 Cable & 9VDC Power Supply	\$	971.00
SRL-30A16-RS485	RS485 16 Channel 3KHz 14-bit A/D, 4 x 14-bit DACS, 24 DIO - incl ADPT-9 & 9VDC Power Supply	\$	790.00
SRL-30A16-RS485-BNC	RS485 8 Differential Channel 3KHz 14-bit A/D with BNC connectors, 4 x 14-bit DACS, 24 DIO - incl ADPT-9 & 9VDC Power Supply	\$	971.00
SRL-30C16-RS232	RS232 16 Channel 3KHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - incl 2Mtr RS232 Cable & 9VDC Power Supply	\$	1,246.00
SRL-30C16-RS232-BNC	RS232 8 Differential Channel 3KHz 16-bit A/D with BNC connectors, 4 x 16-bit DACS, 24 DIO - incl 2Mtr RS232 Cable & 9VDC Power Supply	\$	1,427.00
SRL-30C16-RS485	RS485 16 Channel 3KHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - incl ADPT-9 & 9VDC Power Supply	\$	1,246.00
SRL-30C16-RS485-BNC	RS485 8 Differential Channel 3KHz 16-bit A/D with BNC connectors, 4 x 16-bit DACS, 24 DIO - incl ADPT-9 & 9VDC Power Supply	\$	1,427.00
SRL-30C32-RS232	RS232 32 Channel 3KHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - incl 2Mtr RS232 Cable & 9VDC Power Supply	\$	1,730.00
SRL-30C32-RS485	RS485 32 Channel 3KHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - incl ADPT-9 & 9VDC Power Supply	\$	1,730.00
SERIAL MICRODAQ - Temperature Inputs			
SRL-73T8-RS232	RS232 8 Channel 14-bit Thermocouple Input Unit, 24 DIO, CJC Screw Terminal Adaptors - incl 2Mtr RS232 Cable & 9VDC Power Supply	\$	769.00
SRL-73T8-RS485	RS485 8 Channel 14-bit Thermocouple Input Unit, 24 DIO, CJC Screw Terminal Adaptors - incl ADPT-9 & 9VDC Power Supply	\$	769.00
SRL-73T16-RS232	RS232 16 Channel 14-bit Thermocouple Input Unit, 24 DIO, 2 x CJC Screw Terminal Adaptors - incl 2Mtr RS232 Cable & 9VDC Power Supply	\$	905.00
SRL-73T16-RS485	RS485 16 Channel 14-bit Thermocouple Input Unit, 24 DIO, 2 x CJC Screw Terminal Adaptors - incl ADPT-9 & 9VDC Power Supply	\$	905.00
SRL-73T32-RS232	RS232 32 Channel 14-bit Thermocouple Input Unit, 24 DIO, 4 x CJC Screw Terminal Adaptors - incl 2Mtr RS232 Cable & 9VDC Power Supply	\$	1,267.00
SRL-73T32-RS485	RS485 32 Channel 14-bit Thermocouple Input Unit, 24 DIO, 4 x CJC Screw Terminal Adaptors - incl ADPT-9 & 9VDC Power Supply	\$	1,267.00
SRL-73R8-RS232	RS232 8 Channel 14-bit RTD Input Unit, 24 DIO, RTD Screw Terminal Adaptors - incl 2Mtr RS232 Cable & 9VDC Power Supply	\$	942.00
SRL-73R8-RS485	RS485 8 Channel 14-bit RTD Input Unit, 24 DIO, RTD Screw Terminal Adaptors - incl ADPT-9 & 9VDC Power Supply	\$	942.00
SRL-73R16-RS232	RS232 16 Channel 14-bit RTD Input Unit, 24 DIO, 2 x RTD Screw Terminal Adaptors - incl 2Mtr RS232 Cable & 9VDC Power Supply	\$	1,169.00
SRL-73R16-RS485	RS485 16 Channel 14-bit RTD Input Unit, 24 DIO, 2 x RTD Screw Terminal Adaptors - incl ADPT-9 & 9VDC Power Supply	\$	1,169.00
SRL-73R32-RS232	RS232 32 Channel 14-bit RTD Input Unit, 24 DIO, 4 x RTD Screw Terminal Adaptors - incl 2Mtr RS232 Cable & 9VDC Power Supply	\$	1,714.00
SRL-73R32-RS485	RS485 32 Channel 14-bit RTD Input Unit, 24 DIO, 4 x RTD Screw Terminal Adaptors - incl ADPT-9 & 9VDC Power Supply	\$	1,714.00
SRL-30A16-73T16-RS232	RS232 16 Channel 3KHz 14-bit A/D, 16 Channel 14-bit Thermocouple Input, 4 x 14-bit DACS, 24 DIO, 2 x CJC Screw Terminal Adaptors - incl 2Mtr RS232 Cable & 9VDC Power Supply	\$	1,240.00
SRL-30A16-73T16-RS485	RS485 16 Channel 3KHz 14-bit A/D, 16 Channel 14-bit Thermocouple Input, 4 x 14-bit DACS, 24 DIO, 2 x CJC Screw Terminal Adaptors - incl ADPT-9 & 9VDC Power Supply	\$	1,240.00

SRL-30C16-73T16-RS232	RS232 16 Channel 3KHz 16-bit A/D, 16 Channel 14-bit Thermocouple Input, 4 x 16-bit DACS, 24 DIO, 2 x CJC Screw Terminal Adaptors - incl 2Mtr RS232 Cable & 9VDC Power Supply	\$ 1,784.00
SRL-30C16-73T16-RS485	RS485 16 Channel 3KHz 16-bit A/D, 16 Channel 14-bit Thermocouple Input, 4 x 16-bit DACS, 24 DIO, 2 x CJC Screw Terminal Adaptors - incl ADPT-9 & 9VDC Power Supply	\$ 1,784.00
SRL-30A16-73R16-RS232	RS232 16 Channel 3KHz 14-bit A/D, 16 Channel 14-bit RTD Input, 4 x 14-bit DACS, 24 DIO, 2 x RTD Screw Terminal Adaptors - incl 2Mtr RS232 Cable & 9VDC Power Supply	\$ 1,512.00
SRL-30A16-73R16-RS485	RS485 16 Channel 3KHz 14-bit A/D, 16 Channel 14-bit RTD Input, 4 x 14-bit DACS, 24 DIO, 2 x RTD Screw Terminal Adaptors - incl ADPT-9 & 9VDC Power Supply	\$ 1,512.00
SRL-30C16-73R16-RS232	RS232 16 Channel 3KHz 16-bit A/D, 16 Channel 14-bit RTD Input, 4 x 16-bit DACS, 24 DIO, 2 x RTD Screw Terminal Adaptors - incl 2Mtr RS232 Cable & 9VDC Power Supply	\$ 2,056.00
SRL-30C16-73R16-RS485	RS485 16 Channel 3KHz 16-bit A/D, 16 Channel 14-bit RTD Input, 4 x 16-bit DACS, 24 DIO, 2 x RTD Screw Terminal Adaptors - incl ADPT-9 & 9VDC Power Supply	\$ 2,056.00
WIRELESS MICRODAQ - Digital I/O		
BT-24A	Wireless 24 Channel DIO Unit - incl USB Wireless Dongle & 9VDC Power Supply	\$ 359.00
BT-72A	Wireless 72 Channel DIO Unit - incl USB Wireless Dongle & 9VDC Power Supply	\$ 432.00
BT-120A	Wireless 120 Channel DIO Unit - incl USB Wireless Dongle & 9VDC Power Supply	\$ 505.00
BT-62-16	Wireless 24 Channel DIO Unit with additional 16 Opto Isolated Digital Inputs - incl USB Wireless Dongle & 9VDC Power Supply	\$ 517.00
BT-62-32	Wireless 24 Channel DIO Unit with additional 32 Opto Isolated Digital Inputs - incl USB Wireless Dongle & 9VDC Power Supply	\$ 625.00
BT-63-16	Wireless 24 Channel DIO Unit with additional 16 Reed Relay Digital Outputs - incl USB Wireless Dongle & 9VDC Power Supply	\$ 567.00
BT-63-32	Wireless 24 Channel DIO Unit with additional 32 Reed Relay Digital Outputs - incl USB Wireless Dongle & 9VDC Power Supply	\$ 730.00
BT-69-16	Wireless 24 Channel DIO Unit with additional 8 Opto Isolated Digital Inputs & 8 Reed Relay Digital Outputs - incl USB Wireless Dongle & 9VDC Power Supply	\$ 590.00
BT-69-32	Wireless 24 Channel DIO Unit with additional 16 Opto Isolated Digital Inputs & 16 Reed Relay Digital Outputs - incl USB Wireless Dongle & 9VDC Power Supply	\$ 736.00
BT-48C	Wireless 48 Channel DIO Unit with 6 Counter/Timers - incl USB Wireless Dongle & 9VDC Power Supply	\$ 522.00
BT-96C	Wireless 96 Channel DIO Unit with 6 Counter/Timers - incl USB Wireless Dongle & 9VDC Power Supply	\$ 594.00
WIRELESS MICRODAQ - Analog I/O		
BT-26A16	Wireless 16 Channel 3KHz 14-bit A/D, 24 DIO - incl USB Wireless Dongle & 9VDC Power Supply	\$ 833.00
BT-26A16-BNC	Wireless 8 Differential Channel 3KHz 14-bit A/D with BNC connectors, 24 DIO - incl USB Wireless Dongle & 9VDC Power Supply	\$ 1,014.00
BT-26C16	Wireless 16 Channel 3KHz 16-bit A/D, 24 DIO - incl USB Wireless Dongle & 9VDC Power Supply	\$ 1,255.00
BT-26C16-BNC	Wireless 8 Differential Channel 3KHz 16-bit A/D with BNC connectors, 24 DIO - incl USB Wireless Dongle & 9VDC Power Supply	\$ 1,436.00
BT-26C32	Wireless 32 Channel 3KHz 16-bit A/D, 24 DIO - incl USB Wireless Dongle & 9VDC Power Supply	\$ 1,699.00
BT-30A16	Wireless 16 Channel 3KHz 14-bit A/D, 4 x 14-bit DACS, 24 DIO - incl USB Wireless Dongle & 9VDC Power Supply	\$ 899.00
BT-30A16-BNC	Wireless 8 Differential Channel 3KHz 14-bit A/D with BNC connectors, 4 x 14-bit DACS, 24 DIO - incl USB Wireless Dongle & 9VDC Power Supply	\$ 1,080.00
BT-30C16	Wireless 16 Channel 3KHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - incl USB Wireless Dongle & 9VDC Power Supply	\$ 1,354.00
BT-30C16-BNC	Wireless 8 Differential Channel 3KHz 16-bit A/D with BNC connectors, 4 x 16-bit DACS, 24 DIO - incl USB Wireless Dongle & 9VDC Power Supply	\$ 1,536.00
BT-30C32	Wireless 32 Channel 3KHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - incl USB Wireless Dongle & 9VDC Power Supply	\$ 1,840.00
WIRELESS MICRODAQ - Temperature Inputs		
BT-73T8	Wireless 8 Channel 14-bit Thermocouple Input Unit, 24 DIO, CJC Screw Terminal Adaptor - incl USB Wireless Dongle & 9VDC Power Supply	\$ 878.00
BT-73T16	Wireless 16 Channel 14-bit Thermocouple Input Unit, 24 DIO, 2 x CJC Screw Terminal Adaptor - incl USB Wireless Dongle & 9VDC Power Supply	\$ 1,013.00
BT-73T32	Wireless 32 Channel 14-bit Thermocouple Input Unit, 24 DIO, 4 x CJC Screw Terminal Adaptors - incl USB Wireless Dongle & 9VDC Power Supply	\$ 1,377.00
BT-73R8	Wireless 8 Channel 14-bit RTD Input Unit, 24 DIO, RTD Screw Terminal Adaptor - incl USB Wireless Dongle & 9VDC Power Supply	\$ 1,051.00
BT-73R16	Wireless 16 Channel 14-bit RTD Input Unit, 24 DIO, 2 x RTD Screw Terminal Adaptor - incl USB Wireless Dongle & 9VDC Power Supply	\$ 1,278.00
BT-73R32	Wireless 32 Channel 14-bit RTD Input Unit, 24 DIO, 4 x RTD Screw Terminal Adaptors - incl USB Wireless Dongle & 9VDC Power Supply	\$ 1,822.00
BT-30A16-73T16	Wireless 16 Channel 3KHz 14-bit A/D, 16 Channel 14-bit Thermocouple Input, 4 x 14-bit DACS, 24 DIO, 2 x CJC Screw Terminal Adaptors - incl USB Wireless Dongle & 9VDC Power Supply	\$ 1,349.00
BT-30C16-73T16	Wireless 16 Channel 3KHz 16-bit A/D, 16 Channel 14-bit Thermocouple Input, 4 x 16-bit DACS, 24 DIO, 2 x CJC Screw Terminal Adaptors - incl USB Wireless Dongle & 9VDC Power Supply	\$ 1,893.00

BT-30A16-73R16	Wireless 16 Channel 3KHz 14-bit A/D, 16 Channel 14-bit RTD Input, 4 x 14-bit DACS, 24 DIO, 2 x RTD Screw Terminal Adaptors - incl USB Wireless Dongle & 9VDC Power Supply	\$ 1,621.00
BT-30C16-73R16	Wireless 16 Channel 3KHz 16-bit A/D, 16 Channel 14-bit RTD Input, 4 x 16-bit DACS, 24 DIO, 2 x RTD Screw Terminal Adaptors - incl USB Wireless Dongle & 9VDC Power Supply	\$ 2,165.00
ETHERNET MICRODAQ - Digital I/O		
NET-24A	Ethernet 24 Channel DIO Unit - incl 2.0Mtr Ethernet Cable & 9VDC Power Supply	\$ 486.00
NET-72A	Ethernet 72 Channel DIO Unit - incl 2.0Mtr Ethernet Cable & 9VDC Power Supply	\$ 559.00
NET-120A	Ethernet 120 Channel DIO Unit - incl 2.0Mtr Ethernet Cable & 9VDC Power Supply	\$ 631.00
NET-62-16	Ethernet 24 Channel DIO Unit with additional 16 Opto Isolated Digital Inputs - incl 2.0Mtr Ethernet Cable & 9VDC Power Supply	\$ 644.00
NET-62-32	Ethernet 24 Channel DIO Unit with additional 32 Opto Isolated Digital Inputs - incl 2.0Mtr Ethernet Cable & 9VDC Power Supply	\$ 752.00
NET-63-16	Ethernet 24 Channel DIO Unit with additional 16 Reed Relay Digital Outputs - incl 2.0Mtr Ethernet Cable & 9VDC Power Supply	\$ 694.00
NET-63-32	Ethernet 24 Channel DIO Unit with additional 32 Reed Relay Digital Outputs - incl 2.0Mtr Ethernet Cable & 9VDC Power Supply	\$ 857.00
NET-69-16	Ethernet 24 Channel DIO Unit with additional 8 Opto Isolated Digital Inputs & 8 Reed Relay Digital Outputs - incl 2.0Mtr Ethernet Cable & 9VDC Power Supply	\$ 717.00
NET-69-32	Ethernet 24 Channel DIO Unit with additional 16 Opto Isolated Digital Inputs & 16 Reed Relay Digital Outputs - incl 2.0Mtr Ethernet Cable & 9VDC Power Supply	\$ 863.00
NET-48C	Ethernet 48 Channel DIO Unit with 6 Counter/Timers - incl 2.0Mtr Ethernet Cable & 9VDC Power Supply	\$ 649.00
NET-96C	Ethernet 96 Channel DIO Unit with 6 Counter/Timers - incl 2.0Mtr Ethernet Cable & 9VDC Power Supply	\$ 721.00
ETHERNET MICRODAQ - Analog I/O		
NET-26C16	Ethernet 16 Channel 250KHz 16-bit A/D, 24 DIO - incl 2.0Mtr Ethernet Cable & 9VDC Power Supply	\$ 1,382.00
NET-26C16-BNC	Ethernet 8 Differential Channel 250KHz 16-bit A/D with BNC connectors, 24 DIO - incl 2.0Mtr Ethernet Cable & 9VDC Power Supply	\$ 1,563.00
NET-26C32	Ethernet 32 Channel 250KHz 16-bit A/D, 24 DIO - incl 2.0Mtr Ethernet Cable & 9VDC Power Supply	\$ 1,826.00
NET-26D16	Ethernet 16 Channel 1MHz 16-bit A/D, 24 DIO - incl 2.0Mtr Ethernet Cable & 9VDC Power Supply	\$ 1,564.00
NET-26D16-BNC	Ethernet 8 Differential Channel 1MHz 16-bit A/D with BNC connectors, 24 DIO - incl 2.0Mtr Ethernet Cable & 9VDC Power Supply	\$ 1,746.00
NET-26D32	Ethernet 32 Channel 1MHz 16-bit A/D, 24 DIO - incl 2.0Mtr Ethernet Cable & 9VDC Power Supply	\$ 2,082.00
NET-30C16	Ethernet 16 Channel 250KHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - incl 2.0Mtr Ethernet Cable & 9VDC Power Supply	\$ 1,482.00
NET-30C16-BNC	Ethernet 8 Differential Channel 250KHz 16-bit A/D with BNC connectors, 4 x 16-bit DACS, 24 DIO - incl 2.0Mtr Ethernet Cable & 9VDC Power Supply	\$ 1,663.00
NET-30C32	Ethernet 32 Channel 250KHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - incl 2.0Mtr Ethernet Cable & 9VDC Power Supply	\$ 1,966.00
NET-30D16	Ethernet 16 Channel 1MHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - incl 2.0Mtr Ethernet Cable & 9VDC Power Supply	\$ 1,674.00
NET-30D16-BNC	Ethernet 8 Differential Channel 1MHz 16-bit A/D with BNC connectors, 4 x 16-bit DACS, 24 DIO - incl 2.0Mtr Ethernet Cable & 9VDC Power Supply	\$ 1,855.00
NET-30D32	Ethernet 32 Channel 1MHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - incl 2.0Mtr Ethernet Cable & 9VDC Power Supply	\$ 2,234.00
ETHERNET MICRODAQ - Temperature Inputs		
NET-73T8	NET 8 Channel 14-bit Thermocouple Input Unit, 24 DIO - incl 2Mtr NET Cable, CJC Screw Terminal Adaptor & 9VDC Power Supply	\$ 1,110.00
NET-73T16	NET 16 Channel 14-bit Thermocouple Input Unit, 24 DIO - incl 2Mtr NET Cable, 2 x CJC Screw Terminal Adaptor & 9VDC Power Supply	\$ 1,245.00
NET-73T32	NET 32 Channel 14-bit Thermocouple Input Unit, 24 DIO - incl 2Mtr NET Cable, 4 x CJC Screw Terminal Adaptors & 9VDC Power Supply	\$ 1,609.00
NET-73R8	NET 8 Channel 14-bit RTD Input Unit, 24 DIO - incl 2Mtr NET Cable, RTD Screw Terminal Adaptor & 9VDC Power Supply	\$ 1,283.00
NET-73R16	NET 16 Channel 14-bit RTD Input Unit, 24 DIO - incl 2Mtr NET Cable, 2 x RTD Screw Terminal Adaptor & 9VDC Power Supply	\$ 1,510.00
NET-73R32	NET 32 Channel 14-bit RTD Input Unit, 24 DIO - incl 2Mtr NET Cable, 4 x RTD Screw Terminal Adaptors & 9VDC Power Supply	\$ 2,054.00
NET-30B16-73T16	Ethernet 16 Channel 400KHz 14-bit A/D, 16 Channel 14-bit Thermocouple Input, 4 x 14-bit DACS, 24 DIO - incl 2Mtr Ethernet Cable, 2 x CJC Screw Terminal Adaptor & 9VDC Power Supply	\$ 1,648.00
NET-30C16-73T16	Coming Soon	
NET-30D16-73T16	Coming Soon	
NET-30B16-73R16	Coming Soon	
NET-30C16-73R16	Coming Soon	
NET-30D16-73R16	Coming Soon	
RUGGED USB MICRODAQ - Digital I/O		
R-USB-24A-AC	Rugged USB 24 Channel DIO Unit - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr Rugged USB Cable	\$ 722.00

R-USB-24A-DC	Rugged USB 24 Channel DIO Unit - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr Rugged USB Cable	\$ 668.00
R-USB-24A-AC-BAT	Rugged USB 24 Channel DIO Unit - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr Rugged USB Cable	\$ 813.00
R-USB-24A-DC-BAT	Rugged USB 24 Channel DIO Unit - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr Rugged USB Cable	\$ 758.00
R-USB-72A-AC	Rugged USB 72 Channel DIO Unit - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr Rugged USB Cable	\$ 795.00
R-USB-72A-DC	Rugged USB 72 Channel DIO Unit - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr Rugged USB Cable	\$ 740.00
R-USB-72A-AC-BAT	Rugged USB 72 Channel DIO Unit - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr Rugged USB Cable	\$ 885.00
R-USB-72A-DC-BAT	Rugged USB 72 Channel DIO Unit - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr Rugged USB Cable	\$ 832.00
R-USB-120A-AC	Rugged USB 120 Channel DIO Unit - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr Rugged USB Cable	\$ 904.00
R-USB-120A-DC	Rugged USB 120 Channel DIO Unit - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr Rugged USB Cable	\$ 849.00
R-USB-120A-AC-BAT	Rugged USB 120 Channel DIO Unit - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr Rugged USB Cable	\$ 994.00
R-USB-120A-DC-BAT	Rugged USB 120 Channel DIO Unit - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr Rugged USB Cable	\$ 940.00
R-USB-168A-AC	Rugged USB 168 Channel DIO Unit - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr Rugged USB Cable	\$ 1,012.00
R-USB-168A-DC	Rugged USB 168 Channel DIO Unit - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr Rugged USB Cable	\$ 958.00
R-USB-168A-AC-BAT	Rugged USB 168 Channel DIO Unit - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr Rugged USB Cable	\$ 1,104.00
R-USB-168A-DC-BAT	Rugged USB 168 Channel DIO Unit - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr Rugged USB Cable	\$ 1,049.00
R-USB-62-16-AC	Rugged USB 24 Channel DIO Unit with additional 16 Opto Isolated Digital Inputs - incl 90-264 VAC Input; 2.5Mtr AC power cable; 5Mtr Rugged USB Cable	\$ 916.00
R-USB-62-16-DC	Rugged USB 24 Channel DIO Unit with additional 16 Opto Isolated Digital Inputs - incl 18-40 VDC Input; 2.5Mtr DC Power cable; 5Mtr Rugged USB Cable	\$ 861.00
R-USB-62-16-AC-BAT	Rugged USB 24 Channel DIO Unit with additional 16 Opto Isolated Digital Inputs - incl 90-264 VAC Input; battery/charger (20-25h batt life); 2.5Mtr AC power cable; 5Mtr Rugged USB Cable	\$ 1,006.00
R-USB-62-16-DC-BAT	Rugged USB 24 Channel DIO Unit with additional 16 Opto Isolated Digital Inputs - incl 18-40 VDC Input; 2.5Mtr DC power cable; battery/charger (20-25h batt life); 5Mtr Rugged USB Cable	\$ 951.00
R-USB-62-32-AC	Rugged USB 24 Channel DIO Unit with additional 32 Opto Isolated Digital Inputs - incl 90-264 VAC Input; 2.5Mtr AC power cable; 5Mtr Rugged USB Cable	\$ 1,025.00
R-USB-62-32-DC	Rugged USB 24 Channel DIO Unit with additional 32 Opto Isolated Digital Inputs - incl 18-40 VDC Input; 2.5Mtr DC Power cable; 5Mtr Rugged USB Cable	\$ 970.00
R-USB-62-32-AC-BAT	Rugged USB 24 Channel DIO Unit with additional 32 Opto Isolated Digital Inputs - incl 90-264 VAC Input; battery/charger (20-25h batt life); 2.5Mtr AC power cable; 5Mtr Rugged USB Cable	\$ 1,115.00
R-USB-62-32-DC-BAT	Rugged USB 24 Channel DIO Unit with additional 32 Opto Isolated Digital Inputs - incl 18-40 VDC Input; 2.5Mtr DC power cable; battery/charger (20-25h batt life); 5Mtr Rugged USB Cable	\$ 1,060.00
R-USB-62-48-AC	Rugged USB 24 Channel DIO Unit with additional 48 Opto Isolated Digital Inputs - incl 90-264 VAC Input; 2.5Mtr AC power cable; 5Mtr Rugged USB Cable	\$ 1,133.00
R-USB-62-48-DC	Rugged USB 24 Channel DIO Unit with additional 48 Opto Isolated Digital Inputs - incl 18-40 VDC Input; 2.5Mtr DC Power cable; 5Mtr Rugged USB Cable	\$ 1,078.00
R-USB-62-48-AC-BAT	Rugged USB 24 Channel DIO Unit with additional 48 Opto Isolated Digital Inputs - incl 90-264 VAC Input; battery/charger (20-25h batt life); 2.5Mtr AC power cable; 5Mtr Rugged USB Cable	\$ 1,224.00
R-USB-62-48-DC-BAT	Rugged USB 24 Channel DIO Unit with additional 48 Opto Isolated Digital Inputs - incl 18-40 VDC Input; 2.5Mtr DC power cable; battery/charger (20-25h batt life); 5Mtr Rugged USB Cable	\$ 1,170.00
R-USB-63-16-AC	Rugged USB 24 Channel DIO Unit with additional 16 Reed Relay Digital Outputs - incl 90-264 VAC Input; 2.5Mtr AC power cable; 5Mtr Rugged USB Cable	\$ 966.00
R-USB-63-16-DC	Rugged USB 24 Channel DIO Unit with additional 16 Reed Relay Digital Outputs - incl 18-40 VDC Input; 2.5Mtr DC power cable; 5Mtr Rugged USB Cable	\$ 911.00
R-USB-63-16-AC-BAT	Rugged USB 24 Channel DIO Unit with additional 16 Reed Relay Digital Outputs - incl 90-264 VAC Input; battery/charger (20-25h batt life); 2.5Mtr AC power cable; 5Mtr Rugged USB Cable	\$ 1,056.00
R-USB-63-16-DC-BAT	Rugged USB 24 Channel DIO Unit with additional 16 Reed Relay Digital Outputs - incl 18-40 VDC Input; 2.5Mtr DC power cable; battery/charger (20-25h batt life); 5Mtr Rugged USB Cable	\$ 1,002.00
R-USB-63-32-AC	Rugged USB 24 Channel DIO Unit with additional 32 Reed Relay Digital Outputs - incl 90-264 VAC Input; 2.5Mtr AC power cable; 5Mtr Rugged USB Cable	\$ 1,129.00
R-USB-63-32-DC	Rugged USB 24 Channel DIO Unit with additional 32 Reed Relay Digital Outputs - incl 18-40 VDC Input; 2.5Mtr DC power cable; 5Mtr Rugged USB Cable	\$ 1,075.00
R-USB-63-32-AC-BAT	Rugged USB 24 Channel DIO Unit with additional 32 Reed Relay Digital Outputs - incl 90-264 VAC Input; battery/charger (20-25h batt life); 2.5Mtr AC power cable; 5Mtr Rugged USB Cable	\$ 1,220.00
R-USB-63-32-DC-BAT	Rugged USB 24 Channel DIO Unit with additional 32 Reed Relay Digital Outputs - incl 18-40 VDC Input; 2.5Mtr DC power cable; battery/charger (20-25h batt life); 5Mtr Rugged USB Cable	\$ 1,165.00
R-USB-63-48-AC	Rugged USB 24 Channel DIO Unit with additional 48 Reed Relay Digital Outputs - incl 90-264 VAC Input; 2.5Mtr AC power cable; 5Mtr Rugged USB Cable	\$ 1,293.00
R-USB-63-48-DC	Rugged USB 24 Channel DIO Unit with additional 48 Reed Relay Digital Outputs - incl 18-40 VDC Input; 2.5Mtr DC power cable; 5Mtr Rugged USB Cable	\$ 1,238.00

R-USB-63-48-AC-BAT	Rugged USB 24 Channel DIO Unit with additional 48 Reed Relay Digital Outputs - incl 90-264 VAC Input; battery/charger (20-25h batt life); 2.5Mtr AC power cable; 5Mtr Rugged USB Cable	\$ 1,383.00
R-USB-63-48-DC-BAT	Rugged USB 24 Channel DIO Unit with additional 48 Reed Relay Digital Outputs - incl 18-40 VDC Input; 2.5Mtr DC power cable; battery/charger (20-25h batt life); 5Mtr Rugged USB Cable	\$ 1,328.00
R-USB-69-16-AC	Rugged USB 24 Channel DIO Unit with additional 8 Opto Isolated Digital Inputs & 8 Reed Relay Digital Outputs - incl 90-264 VAC Input; 2.5Mtr AC power cable; 5Mtr Rugged USB Cable	\$ 990.00
R-USB-69-16-DC	Rugged USB 24 Channel DIO Unit with additional 8 Opto Isolated Digital Inputs & 8 Reed Relay Digital Outputs - incl 18-40 VDC Input; 2.5Mtr DC power cable; 5Mtr Rugged USB Cable	\$ 936.00
R-USB-69-16-AC-BAT	Rugged USB 24 Channel DIO Unit with additional 8 Opto Isolated Digital Inputs & 8 Reed Relay Digital Outputs - incl 90-264 VAC Input; battery/charger (20-25h batt life); 2.5Mtr AC power cable; 5Mtr Rugged USB Cable	\$ 1,080.00
R-USB-69-16-DC-BAT	Rugged USB 24 Channel DIO Unit with additional 8 Opto Isolated Digital Inputs & 8 Reed Relay Digital Outputs - incl 18-40 VDC Input; 2.5Mtr DC power cable; battery/charger (20-25h batt life); 5Mtr Rugged USB Cable	\$ 1,026.00
R-USB-69-32-AC	Rugged USB 24 Channel DIO Unit with additional 16 Opto Isolated Digital Inputs & 16 Reed Relay Digital Outputs - incl 90-264 VAC Input; 2.5Mtr AC power cable; 5Mtr Rugged USB Cable	\$ 1,135.00
R-USB-69-32-DC	Rugged USB 24 Channel DIO Unit with additional 16 Opto Isolated Digital Inputs & 16 Reed Relay Digital Outputs - incl 18-40 VDC Input; 2.5Mtr DC power cable; 5Mtr Rugged USB Cable	\$ 1,080.00
R-USB-69-32-AC-BAT	Rugged USB 24 Channel DIO Unit with additional 16 Opto Isolated Digital Inputs & 16 Reed Relay Digital Outputs - incl 90-264 VAC Input; battery/charger (20-25h batt life); 2.5Mtr AC power cable; 5Mtr Rugged USB Cable	\$ 1,225.00
R-USB-69-32-DC-BAT	Rugged USB 24 Channel DIO Unit with additional 16 Opto Isolated Digital Inputs & 16 Reed Relay Digital Outputs - incl 18-40 VDC Input; 2.5Mtr DC power cable; battery/charger (20-25h batt life); 5Mtr Rugged USB Cable	\$ 1,171.00
R-USB-69-48-AC	Rugged USB 24 Channel DIO Unit with additional 24 Opto Isolated Digital Inputs & 24 Reed Relay Digital Outputs - incl 90-264 VAC Input; 2.5Mtr AC power cable; 5Mtr Rugged USB Cable	\$ 1,280.00
R-USB-69-48-DC	Rugged USB 24 Channel DIO Unit with additional 24 Opto Isolated Digital Inputs & 24 Reed Relay Digital Outputs - incl 18-40 VDC Input; 2.5Mtr DC power cable; 5Mtr Rugged USB Cable	\$ 1,225.00
R-USB-69-48-AC-BAT	Rugged USB 24 Channel DIO Unit with additional 24 Opto Isolated Digital Inputs & 24 Reed Relay Digital Outputs - incl 90-264 VAC Input; battery/charger (20-25h batt life); 2.5Mtr AC power cable; 5Mtr Rugged USB Cable	\$ 1,370.00
R-USB-69-48-DC-BAT	Rugged USB 24 Channel DIO Unit with additional 24 Opto Isolated Digital Inputs & 24 Reed Relay Digital Outputs - incl 18-40 VDC Input; 2.5Mtr DC power cable; battery/charger (20-25h batt life); 5Mtr Rugged USB Cable	\$ 1,317.00
R-USB-48C-AC	Rugged USB 48 Channel DIO Unit with 6 Counter/Timers - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr Rugged USB Cable	\$ 921.00
R-USB-48C-DC	Rugged USB 48 Channel DIO Unit with 6 Counter/Timers - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr Rugged USB Cable	\$ 866.00
R-USB-48C-AC-BAT	Rugged USB 48 Channel DIO Unit with 6 Counter/Timers - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr Rugged USB Cable	\$ 1,011.00
R-USB-48C-DC-BAT	Rugged USB 48 Channel DIO Unit with 6 Counter/Timers - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr Rugged USB Cable	\$ 957.00
R-USB-96C-AC	Rugged USB 96 Channel DIO Unit with 6 Counter/Timers - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr Rugged USB Cable	\$ 993.00
R-USB-96C-DC	Rugged USB 96 Channel DIO Unit with 6 Counter/Timers - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr Rugged USB Cable	\$ 939.00
R-USB-96C-AC-BAT	Rugged USB 96 Channel DIO Unit with 6 Counter/Timers - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr Rugged USB Cable	\$ 1,084.00
R-USB-96C-DC-BAT	Rugged USB 96 Channel DIO Unit with 6 Counter/Timers - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr Rugged USB Cable	\$ 1,029.00
R-USB-144C-AC	Rugged USB 144 Channel DIO Unit with 6 Counter/Timers - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr Rugged USB Cable	\$ 1,066.00
R-USB-144C-DC	Rugged USB 144 Channel DIO Unit with 6 Counter/Timers - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr Rugged USB Cable	\$ 1,011.00
R-USB-144C-AC-BAT	Rugged USB 144 Channel DIO Unit with 6 Counter/Timers - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr Rugged USB Cable	\$ 1,156.00
R-USB-144C-DC-BAT	Rugged USB 144 Channel DIO Unit with 6 Counter/Timers - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr Rugged USB Cable	\$ 1,101.00
RUGGED USB MICRODAQ - Analog I/O		
R-USB-26A16-AC	Rugged USB 16 Channel 250KHz 14-bit A/D, 24 DIO - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr Rugged USB Cable	\$ 1,233.00
R-USB-26A16-DC	Rugged USB 16 Channel 250KHz 14-bit A/D, 24 DIO - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr Rugged USB Cable	\$ 1,178.00
R-USB-26A16-AC-BAT	Rugged USB 16 Channel 250KHz 14-bit A/D, 24 DIO - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr Rugged USB Cable	\$ 1,323.00
R-USB-26A16-DC-BAT	Rugged USB 16 Channel 250KHz 14-bit A/D, 24 DIO - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr Rugged USB Cable	\$ 1,268.00
R-USB-26B16-AC	Rugged USB2.0 16 Channel 400KHz 14-bit A/D, 24 DIO - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr Rugged USB Cable	\$ 1,360.00
R-USB-26B16-DC	Rugged USB2.0 16 Channel 400KHz 14-bit A/D, 24 DIO - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr Rugged USB Cable	\$ 1,306.00
R-USB-26B16-AC-BAT	Rugged USB2.0 16 Channel 400KHz 14-bit A/D, 24 DIO - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr Rugged USB Cable	\$ 1,451.00
R-USB-26B16-DC-BAT	Rugged USB2.0 16 Channel 400KHz 14-bit A/D, 24 DIO - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr Rugged USB Cable	\$ 1,396.00

R-USB-30D32-DC	Rugged USB2.0 32 Channel 1MHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr Rugged USB Cable	\$ 2,453.00
R-USB-30D32-AC-BAT	Rugged USB2.0 32 Channel 1MHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr Rugged USB Cable	\$ 2,598.00
R-USB-30D32-DC-BAT	Rugged USB2.0 32 Channel 1MHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr Rugged USB Cable	\$ 2,543.00
RUGGED USB MICRODAQ - Temperature Inputs		
R-USB-73T16-AC	Rugged USB 16 Channel 14-bit Thermocouple Input Unit, 24 DIO, 2 x CJC Screw Terminal Adaptors - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr Rugged USB Cable	\$ 1,412.00
R-USB-73T16-DC	Rugged USB 16 Channel 14-bit Thermocouple Input Unit, 24 DIO, 2 x CJC Screw Terminal Adaptors - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr Rugged USB Cable	\$ 1,359.00
R-USB-73T16-AC-BAT	Rugged USB 16 Channel 14-bit Thermocouple Input Unit, 24 DIO, 2 x CJC Screw Terminal Adaptors - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr Rugged USB Cable	\$ 1,504.00
R-USB-73T16-DC-BAT	Rugged USB 16 Channel 14-bit Thermocouple Input Unit, 24 DIO, 2 x CJC Screw Terminal Adaptors - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr Rugged USB Cable	\$ 1,449.00
R-USB-73T32-AC	Rugged USB 32 Channel 14-bit Thermocouple Input Unit, 24 DIO, 4 x CJC Screw Terminal Adaptors - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr Rugged USB Cable	\$ 1,776.00
R-USB-73T32-DC	Rugged USB 32 Channel 14-bit Thermocouple Input Unit, 24 DIO, 4 x CJC Screw Terminal Adaptors - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr Rugged USB Cable	\$ 1,721.00
R-USB-73T32-AC-BAT	Rugged USB 32 Channel 14-bit Thermocouple Input Unit, 24 DIO, 4 x CJC Screw Terminal Adaptors - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr Rugged USB Cable	\$ 1,866.00
R-USB-73T32-DC-BAT	Rugged USB 32 Channel 14-bit Thermocouple Input Unit, 24 DIO, 4 x CJC Screw Terminal Adaptors - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr Rugged USB Cable	\$ 1,812.00
R-USB-73R8-AC	Rugged USB 8 Channel 14-bit RTD Input Unit, 24 DIO, 2 x RTD Screw Terminal Adaptors - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr Rugged USB Cable	\$ 1,450.00
R-USB-73R16-AC	Rugged USB 16 Channel 14-bit RTD Input Unit, 24 DIO, 2 x RTD Screw Terminal Adaptors - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr Rugged USB Cable	\$ 1,677.00
R-USB-73R16-DC	Rugged USB 16 Channel 14-bit RTD Input Unit, 24 DIO, 2 x RTD Screw Terminal Adaptors - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr Rugged USB Cable	\$ 1,622.00
R-USB-73R16-AC-BAT	Rugged USB 16 Channel 14-bit RTD Input Unit, 24 DIO, 2 x RTD Screw Terminal Adaptors - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr Rugged USB Cable	\$ 1,768.00
R-USB-73R16-DC-BAT	Rugged USB 16 Channel 14-bit RTD Input Unit, 24 DIO, 2 x RTD Screw Terminal Adaptors - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr Rugged USB Cable	\$ 1,714.00
R-USB-73R32-AC	Rugged USB 32 Channel 14-bit RTD Input Unit, 24 DIO, 4 x RTD Screw Terminal Adaptors - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr Rugged USB Cable	\$ 2,222.00
R-USB-73R32-DC	Rugged USB 32 Channel 14-bit RTD Input Unit, 24 DIO, 4 x RTD Screw Terminal Adaptors - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr Rugged USB Cable	\$ 2,167.00
R-USB-73R32-AC-BAT	Rugged USB 32 Channel 14-bit RTD Input Unit, 24 DIO, 4 x RTD Screw Terminal Adaptors - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr Rugged USB Cable	\$ 2,312.00
R-USB-73R32-DC-BAT	Rugged USB 32 Channel 14-bit RTD Input Unit, 24 DIO, 4 x RTD Screw Terminal Adaptors - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr Rugged USB Cable	\$ 2,257.00
R-USB-30A16-73T16-AC	Rugged USB 16 Channel 250KHz 14-bit A/D, 16 Channel 14-bit Thermocouple Input, 4 x 14-bit DACS, 24 DIO, 2 x CJC Screw Terminal Adaptor - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr Rugged USB Cable	\$ 1,748.00
R-USB-30A16-73T16-DC	Rugged USB 16 Channel 250KHz 14-bit A/D, 16 Channel 14-bit Thermocouple Input, 4 x 14-bit DACS, 24 DIO, 2 x CJC Screw Terminal Adaptor - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr Rugged USB Cable	\$ 1,694.00
R-USB-30A16-73T16-AC-BAT	Rugged USB 16 Channel 250KHz 14-bit A/D, 16 Channel 14-bit Thermocouple Input, 4 x 14-bit DACS, 24 DIO, 2 x CJC Screw Terminal Adaptor - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr Rugged USB Cable	\$ 1,839.00
R-USB-30A16-73T16-DC-BAT	Rugged USB 16 Channel 250KHz 14-bit A/D, 16 Channel 14-bit Thermocouple Input, 4 x 14-bit DACS, 24 DIO, 2 x CJC Screw Terminal Adaptor - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr Rugged USB Cable	\$ 1,784.00
R-USB-30A16-73T32-AC	Rugged USB 16 Channel 250KHz 14-bit A/D, 32 Channel 14-bit Thermocouple Input, 4 x 14-bit DACS, 24 DIO, 4 x CJC Screw Terminal Adaptor - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr Rugged USB Cable	\$ 2,110.00
R-USB-30A16-73T32-DC	Rugged USB 16 Channel 250KHz 14-bit A/D, 32 Channel 14-bit Thermocouple Input, 4 x 14-bit DACS, 24 DIO, 4 x CJC Screw Terminal Adaptor - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr Rugged USB Cable	\$ 2,056.00
R-USB-30A16-73T32-AC-BAT	Rugged USB 16 Channel 250KHz 14-bit A/D, 32 Channel 14-bit Thermocouple Input, 4 x 14-bit DACS, 24 DIO, 4 x CJC Screw Terminal Adaptor - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr Rugged USB Cable	\$ 2,202.00

R-USB-30C32-73R16-DC-BAT	Rugged USB2.0 32 Channel 250KHz 16-bit A/D, 16 Channel 14-bit RTD Input, 4 x 16-bit DACS, 24 DIO, 2 x RTD Screw Terminal Adaptor - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr Rugged USB Cable	\$ 3,085.00
R-USB-30C16-73R32-AC	Rugged USB2.0 16 Channel 250KHz 16-bit A/D, 32 Channel 14-bit RTD Input, 4 x 16-bit DACS, 24 DIO, 4 x RTD Screw Terminal Adaptor - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr Rugged USB Cable	\$ 3,108.00
R-USB-30C16-73R32-DC	Rugged USB2.0 16 Channel 250KHz 16-bit A/D, 32 Channel 14-bit RTD Input, 4 x 16-bit DACS, 24 DIO, 4 x RTD Screw Terminal Adaptor - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr Rugged USB Cable	\$ 3,053.00
R-USB-30C16-73R32-AC-BAT	Rugged USB2.0 16 Channel 250KHz 16-bit A/D, 32 Channel 14-bit RTD Input, 4 x 16-bit DACS, 24 DIO, 4 x RTD Screw Terminal Adaptor - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr Rugged USB Cable	\$ 3,199.00
R-USB-30C16-73R32-DC-BAT	Rugged USB2.0 16 Channel 250KHz 16-bit A/D, 32 Channel 14-bit RTD Input, 4 x 16-bit DACS, 24 DIO, 4 x RTD Screw Terminal Adaptor - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr Rugged USB Cable	\$ 3,145.00
R-USB-30D16-73R16-AC	Rugged USB2.0 16 Channel 1MHz 16-bit A/D, 16 Channel 14-bit RTD Input, 4 x 16-bit DACS, 24 DIO, 2 x RTD Screw Terminal Adaptor - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr Rugged USB Cable	\$ 2,805.00
R-USB-30D16-73R16-DC	Rugged USB2.0 16 Channel 1MHz 16-bit A/D, 16 Channel 14-bit RTD Input, 4 x 16-bit DACS, 24 DIO, 2 x RTD Screw Terminal Adaptor - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr Rugged USB Cable	\$ 2,750.00
R-USB-30D16-73R16-AC-BAT	Rugged USB2.0 16 Channel 1MHz 16-bit A/D, 16 Channel 14-bit RTD Input, 4 x 16-bit DACS, 24 DIO, 2 x RTD Screw Terminal Adaptor - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr Rugged USB Cable	\$ 2,895.00
R-USB-30D16-73R16-DC-BAT	Rugged USB2.0 16 Channel 1MHz 16-bit A/D, 16 Channel 14-bit RTD Input, 4 x 16-bit DACS, 24 DIO, 2 x RTD Screw Terminal Adaptor - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr Rugged USB Cable	\$ 2,841.00
R-USB-30D32-73R16-AC	Rugged USB2.0 32 Channel 1MHz 16-bit A/D, 16 Channel 14-bit RTD Input, 4 x 16-bit DACS, 24 DIO, 2 x RTD Screw Terminal Adaptor - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr Rugged USB Cable	\$ 3,365.00
R-USB-30D32-73R16-DC	Rugged USB2.0 32 Channel 1MHz 16-bit A/D, 16 Channel 14-bit RTD Input, 4 x 16-bit DACS, 24 DIO, 2 x RTD Screw Terminal Adaptor - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr Rugged USB Cable	\$ 3,311.00
R-USB-30D32-73R16-AC-BAT	Rugged USB2.0 32 Channel 1MHz 16-bit A/D, 16 Channel 14-bit RTD Input, 4 x 16-bit DACS, 24 DIO, 2 x RTD Screw Terminal Adaptor - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr Rugged USB Cable	\$ 3,457.00
R-USB-30D32-73R16-DC-BAT	Rugged USB2.0 32 Channel 1MHz 16-bit A/D, 16 Channel 14-bit RTD Input, 4 x 16-bit DACS, 24 DIO, 2 x RTD Screw Terminal Adaptor - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr Rugged USB Cable	\$ 3,402.00
R-USB-30D16-73R32-AC	Rugged USB2.0 16 Channel 1MHz 16-bit A/D, 32 Channel 14-bit RTD Input, 4 x 16-bit DACS, 24 DIO, 4 x RTD Screw Terminal Adaptor - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr Rugged USB Cable	\$ 3,348.00
R-USB-30D16-73R32-DC	Rugged USB2.0 16 Channel 1MHz 16-bit A/D, 32 Channel 14-bit RTD Input, 4 x 16-bit DACS, 24 DIO, 4 x RTD Screw Terminal Adaptor - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr Rugged USB Cable	\$ 3,295.00
R-USB-30D16-73R32-AC-BAT	Rugged USB2.0 16 Channel 1MHz 16-bit A/D, 32 Channel 14-bit RTD Input, 4 x 16-bit DACS, 24 DIO, 4 x RTD Screw Terminal Adaptor - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr Rugged USB Cable	\$ 3,440.00
R-USB-30D16-73R32-DC-BAT	Rugged USB2.0 16 Channel 1MHz 16-bit A/D, 32 Channel 14-bit RTD Input, 4 x 16-bit DACS, 24 DIO, 4 x RTD Screw Terminal Adaptor - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr Rugged USB Cable	\$ 3,385.00
RUGGED SERIAL MICRODAQ - Digital I/O		
R-SRL-24A-RS232-AC	Rugged RS232 24 Channel DIO Unit - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr RS232 Cable	\$ 758.00
R-SRL-24A-RS232-DC	Rugged RS232 24 Channel DIO Unit - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr RS232 Cable	\$ 705.00
R-SRL-24A-RS232-AC-BAT	Rugged RS232 24 Channel DIO Unit - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr RS232 Cable	\$ 849.00
R-SRL-24A-RS232-DC-BAT	Rugged RS232 24 Channel DIO Unit - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr RS232 Cable	\$ 795.00
R-SRL-24A-RS485-AC	Rugged RS485 24 Channel DIO Unit - 90-264VAC input - incl 2.5Mtr AC Power Cable & ADPT-9	\$ 758.00
R-SRL-24A-RS485-DC	Rugged RS485 24 Channel DIO Unit - 18-40VDC input - incl 2.5Mtr DC Power Cable & ADPT-9	\$ 705.00
R-SRL-24A-RS485-AC-BAT	Rugged RS485 24 Channel DIO Unit - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & ADPT-9	\$ 849.00
R-SRL-24A-RS485-DC-BAT	Rugged RS485 24 Channel DIO Unit - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & ADPT-9	\$ 795.00
R-SRL-72A-RS232-AC	Rugged RS232 72 Channel DIO Unit - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr RS232 Cable	\$ 832.00
R-SRL-72A-RS232-DC	Rugged RS232 72 Channel DIO Unit - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr RS232 Cable	\$ 777.00
R-SRL-72A-RS232-AC-BAT	Rugged RS232 72 Channel DIO Unit - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr RS232 Cable	\$ 922.00
R-SRL-72A-RS232-DC-BAT	Rugged RS232 72 Channel DIO Unit - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr RS232 Cable	\$ 867.00
R-SRL-72A-RS485-AC	Rugged RS485 72 Channel DIO Unit - 90-264VAC input - incl 2.5Mtr AC Power Cable & ADPT-9	\$ 832.00
R-SRL-72A-RS485-DC	Rugged RS485 72 Channel DIO Unit - 18-40VDC input - incl 2.5Mtr DC Power Cable & ADPT-9	\$ 777.00
R-SRL-72A-RS485-AC-BAT	Rugged RS485 72 Channel DIO Unit - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & ADPT-9	\$ 922.00

R-SRL-72A-RS485-DC-BAT	Rugged RS485 72 Channel DIO Unit - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & ADPT-9	\$ 867.00
R-SRL-120A-RS232-AC	Rugged RS232 120 Channel DIO Unit - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr RS232 Cable	\$ 940.00
R-SRL-120A-RS232-DC	Rugged RS232 120 Channel DIO Unit - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr RS232 Cable	\$ 885.00
R-SRL-120A-RS232-AC-BAT	Rugged RS232 120 Channel DIO Unit - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr RS232 Cable	\$ 1,031.00
R-SRL-120A-RS232-DC-BAT	Rugged RS232 120 Channel DIO Unit - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr RS232 Cable	\$ 976.00
R-SRL-120A-RS485-AC	Rugged RS485 120 Channel DIO Unit - 90-264VAC input - incl 2.5Mtr AC Power Cable & ADPT-9	\$ 940.00
R-SRL-120A-RS485-DC	Rugged RS485 120 Channel DIO Unit - 18-40VDC input - incl 2.5Mtr DC Power Cable & ADPT-9	\$ 885.00
R-SRL-120A-RS485-AC-BAT	Rugged RS485 120 Channel DIO Unit - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & ADPT-9	\$ 1,031.00
R-SRL-120A-RS485-DC-BAT	Rugged RS485 120 Channel DIO Unit - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & ADPT-9	\$ 976.00
R-SRL-168A-RS232-AC	Rugged RS232 168 Channel DIO Unit - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr RS232 Cable	\$ 1,049.00
R-SRL-168A-RS232-DC	Rugged RS232 168 Channel DIO Unit - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr RS232 Cable	\$ 994.00
R-SRL-168A-RS232-AC-BAT	Rugged RS232 168 Channel DIO Unit - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr RS232 Cable	\$ 1,139.00
R-SRL-168A-RS232-DC-BAT	Rugged RS232 168 Channel DIO Unit - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr RS232 Cable	\$ 1,085.00
R-SRL-168A-RS485-AC	Rugged RS485 168 Channel DIO Unit - 90-264VAC input - incl 2.5Mtr AC Power Cable & ADPT-9	\$ 1,049.00
R-SRL-168A-RS485-DC	Rugged RS485 168 Channel DIO Unit - 18-40VDC input - incl 2.5Mtr DC Power Cable & ADPT-9	\$ 994.00
R-SRL-168A-RS485-AC-BAT	Rugged RS485 168 Channel DIO Unit - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & ADPT-9	\$ 1,139.00
R-SRL-168A-RS485-DC-BAT	Rugged RS485 168 Channel DIO Unit - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & ADPT-9	\$ 1,085.00
R-SRL-62-16-RS232-AC	Rugged RS232 24 Channel DIO Unit with additional 16 Opto Isolated Digital Inputs - incl 90-264 VAC Input; 2.5Mtr AC power cable; 5Mtr RS232 Cable	\$ 951.00
R-SRL-62-16-RS232-DC	Rugged RS232 24 Channel DIO Unit with additional 16 Opto Isolated Digital Inputs - incl 18-40 VDC Input; 2.5Mtr DC Power cable; 5Mtr RS232 Cable	\$ 898.00
R-SRL-62-16-RS232-AC-BAT	Rugged RS232 24 Channel DIO Unit with additional 16 Opto Isolated Digital Inputs - incl 90-264 VAC Input; battery/charger (20-25h batt life); 2.5Mtr AC power cable; 5Mtr RS232 Cable	\$ 1,043.00
R-SRL-62-16-RS232-DC-BAT	Rugged RS232 24 Channel DIO Unit with additional 16 Opto Isolated Digital Inputs - incl 18-40 VDC Input; 2.5Mtr DC power cable; battery/charger (20-25h batt life); 5Mtr RS232 Cable	\$ 988.00
R-SRL-62-16-RS485-AC	Rugged RS485 24 Channel DIO Unit with additional 16 Opto Isolated Digital Inputs - incl 90-264 VAC Input; 2.5Mtr AC power cable & ADPT-9	\$ 951.00
R-SRL-62-16-RS485-DC	Rugged RS485 24 Channel DIO Unit with additional 16 Opto Isolated Digital Inputs - incl 18-40 VDC Input; 2.5Mtr DC Power cable & ADPT-9	\$ 898.00
R-SRL-62-16-RS485-AC-BAT	Rugged RS485 24 Channel DIO Unit with additional 16 Opto Isolated Digital Inputs - incl 90-264 VAC Input; battery/charger (20-25h batt life); 2.5Mtr AC power cable & ADPT-9	\$ 1,043.00
R-SRL-62-16-RS485-DC-BAT	Rugged RS485 24 Channel DIO Unit with additional 16 Opto Isolated Digital Inputs - incl 18-40 VDC Input; 2.5Mtr DC power cable; battery/charger (20-25h batt life) & ADPT-9	\$ 988.00
R-SRL-62-32-RS232-AC	Rugged RS232 24 Channel DIO Unit with additional 32 Opto Isolated Digital Inputs - incl 90-264 VAC Input; 2.5Mtr AC power cable; 5Mtr RS232 Cable	\$ 1,060.00
R-SRL-62-32-RS232-DC	Rugged RS232 24 Channel DIO Unit with additional 32 Opto Isolated Digital Inputs - incl 18-40 VDC Input; 2.5Mtr DC Power cable; 5Mtr RS232 Cable	\$ 1,006.00
R-SRL-62-32-RS232-AC-BAT	Rugged RS232 24 Channel DIO Unit with additional 32 Opto Isolated Digital Inputs - incl 90-264 VAC Input; battery/charger (20-25h batt life); 2.5Mtr AC power cable; 5Mtr RS232 Cable	\$ 1,151.00
R-SRL-62-32-RS232-DC-BAT	Rugged RS232 24 Channel DIO Unit with additional 32 Opto Isolated Digital Inputs - incl 18-40 VDC Input; 2.5Mtr DC power cable; battery/charger (20-25h batt life); 5Mtr RS232 Cable	\$ 1,097.00
R-SRL-62-32-RS485-AC	Rugged RS485 24 Channel DIO Unit with additional 32 Opto Isolated Digital Inputs - incl 90-264 VAC Input; 2.5Mtr AC power cable & ADPT-9	\$ 1,060.00
R-SRL-62-32-RS485-DC	Rugged RS485 24 Channel DIO Unit with additional 32 Opto Isolated Digital Inputs - incl 18-40 VDC Input; 2.5Mtr DC Power cable & ADPT-9	\$ 1,006.00
R-SRL-62-32-RS485-AC-BAT	Rugged RS485 24 Channel DIO Unit with additional 32 Opto Isolated Digital Inputs - incl 90-264 VAC Input; battery/charger (20-25h batt life); 2.5Mtr AC power cable & ADPT-9	\$ 1,151.00
R-SRL-62-32-RS485-DC-BAT	Rugged RS485 24 Channel DIO Unit with additional 32 Opto Isolated Digital Inputs - incl 18-40 VDC Input; 2.5Mtr DC power cable; battery/charger (20-25h batt life) & ADPT-9	\$ 1,097.00
R-SRL-62-48-RS232-AC	Rugged RS232 24 Channel DIO Unit with additional 48 Opto Isolated Digital Inputs - incl 90-264 VAC Input; 2.5Mtr AC power cable; 5Mtr RS232 Cable	\$ 1,170.00
R-SRL-62-48-RS232-DC	Rugged RS232 24 Channel DIO Unit with additional 48 Opto Isolated Digital Inputs - incl 18-40 VDC Input; 2.5Mtr DC Power cable; 5Mtr RS232 Cable	\$ 1,115.00
R-SRL-62-48-RS232-AC-BAT	Rugged RS232 24 Channel DIO Unit with additional 48 Opto Isolated Digital Inputs - incl 90-264 VAC Input; battery/charger (20-25h batt life); 2.5Mtr AC power cable; 5Mtr RS232 Cable	\$ 1,260.00
R-SRL-62-48-RS232-DC-BAT	Rugged RS232 24 Channel DIO Unit with additional 48 Opto Isolated Digital Inputs - incl 18-40 VDC Input; 2.5Mtr DC power cable; battery/charger (20-25h batt life); 5Mtr RS232 Cable	\$ 1,205.00

R-SRL-69-16-RS485-DC	Rugged RS485 24 Channel DIO Unit with additional 8 Opto Isolated Digital Inputs & 8 Reed Relay Digital Outputs - incl 18-40 VDC Input; 2.5Mtr DC Power cable & ADPT-9	\$ 971.00
R-SRL-69-16-RS485-AC-BAT	Rugged RS485 24 Channel DIO Unit with additional 8 Opto Isolated Digital Inputs & 8 Reed Relay Digital Outputs - incl 90-264 VAC Input; battery/charger (20-25h batt life); 2.5Mtr AC power cable & ADPT-9	\$ 1,116.00
R-SRL-69-16-RS485-DC-BAT	Rugged RS485 24 Channel DIO Unit with additional 8 Opto Isolated Digital Inputs & 8 Reed Relay Digital Outputs - incl 18-40 VDC Input; 2.5Mtr DC power cable; battery/charger (20-25h batt life) & ADPT-9	\$ 1,063.00
R-SRL-69-32-RS232-AC	Rugged RS232 24 Channel DIO Unit with additional 16 Opto Isolated Digital Inputs & 16 Reed Relay Digital Outputs - incl 90-264 VAC Input; 2.5Mtr AC power cable; 5Mtr RS232 Cable	\$ 1,171.00
R-SRL-69-32-RS232-DC	Rugged RS232 24 Channel DIO Unit with additional 16 Opto Isolated Digital Inputs & 16 Reed Relay Digital Outputs - incl 18-40 VDC Input; 2.5Mtr DC Power cable; 5Mtr RS232 Cable	\$ 1,116.00
R-SRL-69-32-RS232-AC-BAT	Rugged RS232 24 Channel DIO Unit with additional 16 Opto Isolated Digital Inputs & 16 Reed Relay Digital Outputs - incl 90-264 VAC Input; battery/charger (20-25h batt life); 2.5Mtr AC power cable; 5Mtr RS232 Cable	\$ 1,262.00
R-SRL-69-32-RS232-DC-BAT	Rugged RS232 24 Channel DIO Unit with additional 16 Opto Isolated Digital Inputs & 16 Reed Relay Digital Outputs - incl 18-40 VDC Input; 2.5Mtr DC power cable; battery/charger (20-25h batt life); 5Mtr RS232 Cable	\$ 1,207.00
R-SRL-69-32-RS485-AC	Rugged RS485 24 Channel DIO Unit with additional 16 Opto Isolated Digital Inputs & 16 Reed Relay Digital Outputs - incl 90-264 VAC Input; 2.5Mtr AC power cable & ADPT-9	\$ 1,171.00
R-SRL-69-32-RS485-DC	Rugged RS485 24 Channel DIO Unit with additional 16 Opto Isolated Digital Inputs & 16 Reed Relay Digital Outputs - incl 18-40 VDC Input; 2.5Mtr DC Power cable & ADPT-9	\$ 1,116.00
R-SRL-69-32-RS485-AC-BAT	Rugged RS485 24 Channel DIO Unit with additional 16 Opto Isolated Digital Inputs & 16 Reed Relay Digital Outputs - incl 90-264 VAC Input; battery/charger (20-25h batt life); 2.5Mtr AC power cable & ADPT-9	\$ 1,262.00
R-SRL-69-32-RS485-DC-BAT	Rugged RS485 24 Channel DIO Unit with additional 16 Opto Isolated Digital Inputs & 16 Reed Relay Digital Outputs - incl 18-40 VDC Input; 2.5Mtr DC power cable; battery/charger (20-25h batt life) & ADPT-9	\$ 1,207.00
R-SRL-69-48-RS232-AC	Rugged RS232 24 Channel DIO Unit with additional 24 Opto Isolated Digital Inputs & 24 Reed Relay Digital Outputs - incl 90-264 VAC Input; 2.5Mtr AC power cable; 5Mtr RS232 Cable	\$ 1,317.00
R-SRL-69-48-RS232-DC	Rugged RS232 24 Channel DIO Unit with additional 24 Opto Isolated Digital Inputs & 24 Reed Relay Digital Outputs - incl 18-40 VDC Input; 2.5Mtr DC Power cable; 5Mtr RS232 Cable	\$ 1,262.00
R-SRL-69-48-RS232-AC-BAT	Rugged RS232 24 Channel DIO Unit with additional 24 Opto Isolated Digital Inputs & 24 Reed Relay Digital Outputs - incl 90-264 VAC Input; battery/charger (20-25h batt life); 2.5Mtr AC power cable; 5Mtr RS232 Cable	\$ 1,407.00
R-SRL-69-48-RS232-DC-BAT	Rugged RS232 24 Channel DIO Unit with additional 24 Opto Isolated Digital Inputs & 24 Reed Relay Digital Outputs - incl 18-40 VDC Input; 2.5Mtr DC power cable; battery/charger (20-25h batt life); 5Mtr RS232 Cable	\$ 1,352.00
R-SRL-69-48-RS485-AC	Rugged RS485 24 Channel DIO Unit with additional 24 Opto Isolated Digital Inputs & 24 Reed Relay Digital Outputs - incl 90-264 VAC Input; 2.5Mtr AC power cable & ADPT-9	\$ 1,317.00
R-SRL-69-48-RS485-DC	Rugged RS485 24 Channel DIO Unit with additional 24 Opto Isolated Digital Inputs & 24 Reed Relay Digital Outputs - incl 18-40 VDC Input; 2.5Mtr DC Power cable & ADPT-9	\$ 1,262.00
R-SRL-69-48-RS485-AC-BAT	Rugged RS485 24 Channel DIO Unit with additional 24 Opto Isolated Digital Inputs & 24 Reed Relay Digital Outputs - incl 90-264 VAC Input; battery/charger (20-25h batt life); 2.5Mtr AC power cable & ADPT-9	\$ 1,407.00
R-SRL-69-48-RS485-DC-BAT	Rugged RS485 24 Channel DIO Unit with additional 24 Opto Isolated Digital Inputs & 24 Reed Relay Digital Outputs - incl 18-40 VDC Input; 2.5Mtr DC power cable; battery/charger (20-25h batt life) & ADPT-9	\$ 1,352.00
R-SRL-48C-RS232-AC	Rugged RS232 48 Channel DIO Unit with 6 Counter/Timers - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr RS232 Cable	\$ 957.00
R-SRL-48C-RS232-DC	Rugged RS232 48 Channel DIO Unit with 6 Counter/Timers - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr RS232 Cable	\$ 902.00
R-SRL-48C-RS232-AC-BAT	Rugged RS232 48 Channel DIO Unit with 6 Counter/Timers - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr RS232 Cable	\$ 1,048.00
R-SRL-48C-RS232-DC-BAT	Rugged RS232 48 Channel DIO Unit with 6 Counter/Timers - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr RS232 Cable	\$ 993.00
R-SRL-48C-RS485-AC	Rugged RS485 48 Channel DIO Unit with 6 Counter/Timers - 90-264VAC input - incl 2.5Mtr AC Power Cable & ADPT-9	\$ 957.00
R-SRL-48C-RS485-DC	Rugged RS485 48 Channel DIO Unit with 6 Counter/Timers - 18-40VDC input - incl 2.5Mtr DC Power Cable & ADPT-9	\$ 902.00
R-SRL-48C-RS485-AC-BAT	Rugged RS485 48 Channel DIO Unit with 6 Counter/Timers - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & ADPT-9	\$ 1,048.00
R-SRL-48C-RS485-DC-BAT	Rugged RS485 48 Channel DIO Unit with 6 Counter/Timers - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & ADPT-9	\$ 993.00
R-SRL-96C-RS232-AC	Rugged RS232 96 Channel DIO Unit with 6 Counter/Timers - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr RS232 Cable	\$ 1,029.00
R-SRL-96C-RS232-DC	Rugged RS232 96 Channel DIO Unit with 6 Counter/Timers - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr RS232 Cable	\$ 975.00
R-SRL-96C-RS232-AC-BAT	Rugged RS232 96 Channel DIO Unit with 6 Counter/Timers - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr RS232 Cable	\$ 1,120.00
R-SRL-96C-RS232-DC-BAT	Rugged RS232 96 Channel DIO Unit with 6 Counter/Timers - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr RS232 Cable	\$ 1,066.00
R-SRL-96C-RS485-AC	Rugged RS485 96 Channel DIO Unit with 6 Counter/Timers - 90-264VAC input - incl 2.5Mtr AC Power Cable & ADPT-9	\$ 1,029.00
R-SRL-96C-RS485-DC	Rugged RS485 96 Channel DIO Unit with 6 Counter/Timers - 18-40VDC input - incl 2.5Mtr DC Power Cable & ADPT-9	\$ 975.00

R-SRL-96C-RS485-AC-BAT	Rugged RS485 96 Channel DIO Unit with 6 Counter/Timers - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & ADPT-9	\$ 1,120.00
R-SRL-96C-RS485-DC-BAT	Rugged RS485 96 Channel DIO Unit with 6 Counter/Timers - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & ADPT-9	\$ 1,066.00
R-SRL-144C-RS232-AC	Rugged RS232 144 Channel DIO Unit with 6 Counter/Timers - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr RS232 Cable	\$ 1,101.00
R-SRL-144C-RS232-DC	Rugged RS232 144 Channel DIO Unit with 6 Counter/Timers - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr RS232 Cable	\$ 1,048.00
R-SRL-144C-RS232-AC-BAT	Rugged RS232 144 Channel DIO Unit with 6 Counter/Timers - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr RS232 Cable	\$ 1,193.00
R-SRL-144C-RS232-DC-BAT	Rugged RS232 144 Channel DIO Unit with 6 Counter/Timers - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr RS232 Cable	\$ 1,138.00
R-SRL-144C-RS485-AC	Rugged RS485 144 Channel DIO Unit with 6 Counter/Timers - 90-264VAC input - incl 2.5Mtr AC Power Cable & ADPT-9	\$ 1,101.00
R-SRL-144C-RS485-DC	Rugged RS485 144 Channel DIO Unit with 6 Counter/Timers - 18-40VDC input - incl 2.5Mtr DC Power Cable & ADPT-9	\$ 1,048.00
R-SRL-144C-RS485-AC-BAT	Rugged RS485 144 Channel DIO Unit with 6 Counter/Timers - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & ADPT-9	\$ 1,193.00
R-SRL-144C-RS485-DC-BAT	Rugged RS485 144 Channel DIO Unit with 6 Counter/Timers - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & ADPT-9	\$ 1,138.00
RUGGED SERIAL MICRODAQ - Analog I/O		
R-SRL-26A16-RS232-AC	Rugged RS232 16 Channel 3KHz 14-bit A/D, 24 DIO - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr RS232 Cable	\$ 1,268.00
R-SRL-26A16-RS232-DC	Rugged RS232 16 Channel 3KHz 14-bit A/D, 24 DIO - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr RS232 Cable	\$ 1,214.00
R-SRL-26A16-RS232-AC-BAT	Rugged RS232 16 Channel 3KHz 14-bit A/D, 24 DIO - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr RS232 Cable	\$ 1,359.00
R-SRL-26A16-RS232-DC-BAT	Rugged RS232 16 Channel 3KHz 14-bit A/D, 24 DIO - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr RS232 Cable	\$ 1,305.00
R-SRL-26A16-RS485-AC	Rugged RS485 16 Channel 3KHz 14-bit A/D, 24 DIO - 90-264VAC input - incl 2.5Mtr AC Power Cable & ADPT-9	\$ 1,268.00
R-SRL-26A16-RS485-DC	Rugged RS485 16 Channel 3KHz 14-bit A/D, 24 DIO - 18-40VDC input - incl 2.5Mtr DC Power Cable & ADPT-9	\$ 1,214.00
R-SRL-26A16-RS485-AC-BAT	Rugged RS485 16 Channel 3KHz 14-bit A/D, 24 DIO - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & ADPT-9	\$ 1,359.00
R-SRL-26A16-RS485-DC-BAT	Rugged RS485 16 Channel 3KHz 14-bit A/D, 24 DIO - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & ADPT-9	\$ 1,305.00
R-SRL-26C16-RS232-AC	Rugged RS232 16 Channel 3KHz 16-bit A/D, 24 DIO - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr RS232 Cable	\$ 1,690.00
R-SRL-26C16-RS232-DC	Rugged RS232 16 Channel 3KHz 16-bit A/D, 24 DIO - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr RS232 Cable	\$ 1,636.00
R-SRL-26C16-RS232-AC-BAT	Rugged RS232 16 Channel 3KHz 16-bit A/D, 24 DIO - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr RS232 Cable	\$ 1,781.00
R-SRL-26C16-RS232-DC-BAT	Rugged RS232 16 Channel 3KHz 16-bit A/D, 24 DIO - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr RS232 Cable	\$ 1,727.00
R-SRL-26C32-RS232-AC	Rugged RS232 32 Channel 3KHz 16-bit A/D, 24 DIO - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr RS232 Cable	\$ 2,135.00
R-SRL-26C32-RS232-DC	Rugged RS232 32 Channel 3KHz 16-bit A/D, 24 DIO - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr RS232 Cable	\$ 2,080.00
R-SRL-26C32-RS232-AC-BAT	Rugged RS232 32 Channel 3KHz 16-bit A/D, 24 DIO - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr RS232 Cable	\$ 2,226.00
R-SRL-26C32-RS232-DC-BAT	Rugged RS232 32 Channel 3KHz 16-bit A/D, 24 DIO - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr RS232 Cable	\$ 2,171.00
R-SRL-26C16-RS485-AC	Rugged RS485 16 Channel 3KHz 16-bit A/D, 24 DIO - 90-264VAC input - incl 2.5Mtr AC Power Cable & ADPT-9	\$ 1,690.00
R-SRL-26C16-RS485-DC	Rugged RS485 16 Channel 3KHz 16-bit A/D, 24 DIO - 18-40VDC input - incl 2.5Mtr DC Power Cable & ADPT-9	\$ 1,636.00
R-SRL-26C16-RS485-AC-BAT	Rugged RS485 16 Channel 3KHz 16-bit A/D, 24 DIO - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & ADPT-9	\$ 1,781.00
R-SRL-26C16-RS485-DC-BAT	Rugged RS485 16 Channel 3KHz 16-bit A/D, 24 DIO - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & ADPT-9	\$ 1,727.00
R-SRL-26C32-RS485-AC	Rugged RS485 32 Channel 3KHz 16-bit A/D, 24 DIO - 90-264VAC input - incl 2.5Mtr AC Power Cable & ADPT-9	\$ 2,135.00
R-SRL-26C32-RS485-DC	Rugged RS485 32 Channel 3KHz 16-bit A/D, 24 DIO - 18-40VDC input - incl 2.5Mtr DC Power Cable & ADPT-9	\$ 2,080.00
R-SRL-26C32-RS485-AC-BAT	Rugged RS485 32 Channel 3KHz 16-bit A/D, 24 DIO - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & ADPT-9	\$ 2,226.00
R-SRL-26C32-RS485-DC-BAT	Rugged RS485 32 Channel 3KHz 16-bit A/D, 24 DIO - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & ADPT-9	\$ 2,171.00
R-SRL-30A16-RS232-AC	Rugged RS232 16 Channel 3KHz 14-bit A/D, 4 x 14-bit DACS, 24 DIO - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr RS232 Cable	\$ 1,335.00
R-SRL-30A16-RS232-DC	Rugged RS232 16 Channel 3KHz 14-bit A/D, 4 x 14-bit DACS, 24 DIO - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr RS232 Cable	\$ 1,280.00
R-SRL-30A16-RS232-AC-BAT	Rugged RS232 16 Channel 3KHz 14-bit A/D, 4 x 14-bit DACS, 24 DIO - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr RS232 Cable	\$ 1,425.00
R-SRL-30A16-RS232-DC-BAT	Rugged RS232 16 Channel 3KHz 14-bit A/D, 4 x 14-bit DACS, 24 DIO - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr RS232 Cable	\$ 1,370.00
R-SRL-30A16-RS485-AC	Rugged RS485 16 Channel 3KHz 14-bit A/D, 4 x 14-bit DACS, 24 DIO - 90-264VAC input - incl 2.5Mtr AC Power Cable & ADPT-9	\$ 1,335.00
R-SRL-30A16-RS485-DC	Rugged RS485 16 Channel 3KHz 14-bit A/D, 4 x 14-bit DACS, 24 DIO - 18-40VDC input - incl 2.5Mtr DC Power Cable & ADPT-9	\$ 1,280.00

R-SRL-30A16-RS485-AC-BAT	Rugged RS485 16 Channel 3KHz 14-bit A/D, 4 x 14-bit DACS, 24 DIO - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & ADPT-9	\$ 1,425.00
R-SRL-30A16-RS485-DC-BAT	Rugged RS485 16 Channel 3KHz 14-bit A/D, 4 x 14-bit DACS, 24 DIO - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & ADPT-9	\$ 1,370.00
R-SRL-30C16-RS232-AC	Rugged RS232 16 Channel 3KHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr RS232 Cable	\$ 1,790.00
R-SRL-30C16-RS232-DC	Rugged RS232 16 Channel 3KHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr RS232 Cable	\$ 1,736.00
R-SRL-30C16-RS232-AC-BAT	Rugged RS232 16 Channel 3KHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr RS232 Cable	\$ 1,881.00
R-SRL-30C16-RS232-DC-BAT	Rugged RS232 16 Channel 3KHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr RS232 Cable	\$ 1,827.00
R-SRL-30C32-RS232-AC	Rugged RS232 32 Channel 3KHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr RS232 Cable	\$ 2,274.00
R-SRL-30C32-RS232-DC	Rugged RS232 32 Channel 3KHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr RS232 Cable	\$ 2,220.00
R-SRL-30C32-RS232-AC-BAT	Rugged RS232 32 Channel 3KHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr RS232 Cable	\$ 2,366.00
R-SRL-30C32-RS232-DC-BAT	Rugged RS232 32 Channel 3KHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr RS232 Cable	\$ 2,311.00
R-SRL-30C16-RS485-AC	Rugged RS485 16 Channel 3KHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - 90-264VAC input - incl 2.5Mtr AC Power Cable & ADPT-9	\$ 1,790.00
R-SRL-30C16-RS485-DC	Rugged RS485 16 Channel 3KHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - 18-40VDC input - incl 2.5Mtr DC Power Cable & ADPT-9	\$ 1,736.00
R-SRL-30C16-RS485-AC-BAT	Rugged RS485 16 Channel 3KHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & ADPT-9	\$ 1,881.00
R-SRL-30C16-RS485-DC-BAT	Rugged RS485 16 Channel 3KHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & ADPT-9	\$ 1,827.00
R-SRL-30C32-RS485-AC	Rugged RS485 32 Channel 3KHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - 90-264VAC input - incl 2.5Mtr AC Power Cable & ADPT-9	\$ 2,274.00
R-SRL-30C32-RS485-DC	Rugged RS485 32 Channel 3KHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - 18-40VDC input - incl 2.5Mtr DC Power Cable & ADPT-9	\$ 2,220.00
R-SRL-30C32-RS485-AC-BAT	Rugged RS485 32 Channel 3KHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & ADPT-9	\$ 2,366.00
R-SRL-30C32-RS485-DC-BAT	Rugged RS485 32 Channel 3KHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & ADPT-9	\$ 2,311.00
RUGGED SERIAL MICRODAQ - Temperature Inputs		
R-SRL-73T16-RS232-AC	Rugged RS232 16 Channel 14-bit Thermocouple Input Unit, 24 DIO, 2 x CJC Screw Terminal Adaptors - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr RS232 Cable	\$ 1,449.00
R-SRL-73T16-RS232-DC	Rugged RS232 16 Channel 14-bit Thermocouple Input Unit, 24 DIO, 2 x CJC Screw Terminal Adaptors - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr RS232 Cable	\$ 1,394.00
R-SRL-73T16-RS232-AC-BAT	Rugged RS232 16 Channel 14-bit Thermocouple Input Unit, 24 DIO, 2 x CJC Screw Terminal Adaptors - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr RS232 Cable	\$ 1,539.00
R-SRL-73T16-RS232-DC-BAT	Rugged RS232 16 Channel 14-bit Thermocouple Input Unit, 24 DIO, 2 x CJC Screw Terminal Adaptors - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr RS232 Cable	\$ 1,486.00
R-SRL-73T16-RS485-AC	Rugged RS485 16 Channel 14-bit Thermocouple Input Unit, 24 DIO, 2 x CJC Screw Terminal Adaptors - 90-264VAC input - incl 2.5Mtr AC Power Cable & ADPT-9	\$ 1,449.00
R-SRL-73T16-RS485-DC	Rugged RS485 16 Channel 14-bit Thermocouple Input Unit, 24 DIO, 2 x CJC Screw Terminal Adaptors - 18-40VDC input - incl 2.5Mtr DC Power Cable & ADPT-9	\$ 1,394.00
R-SRL-73T16-RS485-AC-BAT	Rugged RS485 16 Channel 14-bit Thermocouple Input Unit, 24 DIO, 2 x CJC Screw Terminal Adaptors - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & ADPT-9	\$ 1,539.00
R-SRL-73T16-RS485-DC-BAT	Rugged RS485 16 Channel 14-bit Thermocouple Input Unit, 24 DIO, 2 x CJC Screw Terminal Adaptors - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & ADPT-9	\$ 1,486.00
R-SRL-73T32-RS232-AC	Rugged RS232 32 Channel 14-bit Thermocouple Input Unit, 24 DIO, 4 x CJC Screw Terminal Adaptors - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr RS232 Cable	\$ 1,812.00
R-SRL-73T32-RS232-DC	Rugged RS232 32 Channel 14-bit Thermocouple Input Unit, 24 DIO, 4 x CJC Screw Terminal Adaptors - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr RS232 Cable	\$ 1,758.00
R-SRL-73T32-RS232-AC-BAT	Rugged RS232 32 Channel 14-bit Thermocouple Input Unit, 24 DIO, 4 x CJC Screw Terminal Adaptors - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr RS232 Cable	\$ 1,903.00
R-SRL-73T32-RS232-DC-BAT	Rugged RS232 32 Channel 14-bit Thermocouple Input Unit, 24 DIO, 4 x CJC Screw Terminal Adaptors - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr RS232 Cable	\$ 1,848.00
R-SRL-73T32-RS485-AC	Rugged RS485 32 Channel 14-bit Thermocouple Input Unit, 24 DIO, 4 x CJC Screw Terminal Adaptors - 90-264VAC input - incl 2.5Mtr AC Power Cable & ADPT-9	\$ 1,812.00
R-SRL-73T32-RS485-DC	Rugged RS485 32 Channel 14-bit Thermocouple Input Unit, 24 DIO, 4 x CJC Screw Terminal Adaptors - 18-40VDC input - incl 2.5Mtr DC Power Cable & ADPT-9	\$ 1,758.00
R-SRL-73T32-RS485-AC-BAT	Rugged RS485 32 Channel 14-bit Thermocouple Input Unit, 24 DIO, 4 x CJC Screw Terminal Adaptors - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & ADPT-9	\$ 1,903.00

R-SRL-73T32-RS485-DC-BAT	Rugged RS485 32 Channel 14-bit Thermocouple Input Unit, 24 DIO, 4 x CJC Screw Terminal Adaptors - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & ADPT-9	\$ 1,848.00
R-SRL-73R16-RS232-AC	Rugged RS232 16 Channel 14-bit RTD Input Unit, 24 DIO, 2 x RTD Screw Terminal Adaptors - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr RS232 Cable	\$ 1,714.00
R-SRL-73R16-RS232-DC	Rugged RS232 16 Channel 14-bit RTD Input Unit, 24 DIO, 2 x RTD Screw Terminal Adaptors - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr RS232 Cable	\$ 1,659.00
R-SRL-73R16-RS232-AC-BAT	Rugged RS232 16 Channel 14-bit RTD Input Unit, 24 DIO, 2 x RTD Screw Terminal Adaptors - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr RS232 Cable	\$ 1,804.00
R-SRL-73R16-RS232-DC-BAT	Rugged RS232 16 Channel 14-bit RTD Input Unit, 24 DIO, 2 x RTD Screw Terminal Adaptors - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr RS232 Cable	\$ 1,749.00
R-SRL-73R16-RS485-AC	Rugged RS485 16 Channel 14-bit RTD Input Unit, 24 DIO, 2 x RTD Screw Terminal Adaptors - 90-264VAC input - incl 2.5Mtr AC Power Cable & ADPT-9	\$ 1,714.00
R-SRL-73R16-RS485-DC	Rugged RS485 16 Channel 14-bit RTD Input Unit, 24 DIO, 2 x RTD Screw Terminal Adaptors - 18-40VDC input - incl 2.5Mtr DC Power Cable & ADPT-9	\$ 1,659.00
R-SRL-73R16-RS485-AC-BAT	Rugged RS485 16 Channel 14-bit RTD Input Unit, 24 DIO, 2 x RTD Screw Terminal Adaptors - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & ADPT-9	\$ 1,804.00
R-SRL-73R16-RS485-DC-BAT	Rugged RS485 16 Channel 14-bit RTD Input Unit, 24 DIO, 2 x RTD Screw Terminal Adaptors - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & ADPT-9	\$ 1,749.00
R-SRL-73R32-RS232-AC	Rugged RS232 32 Channel 14-bit RTD Input Unit, 24 DIO, 4 x RTD Screw Terminal Adaptors - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr RS232 Cable	\$ 2,257.00
R-SRL-73R32-RS232-DC	Rugged RS232 32 Channel 14-bit RTD Input Unit, 24 DIO, 4 x RTD Screw Terminal Adaptors - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr RS232 Cable	\$ 2,203.00
R-SRL-73R32-RS232-AC-BAT	Rugged RS232 32 Channel 14-bit RTD Input Unit, 24 DIO, 4 x RTD Screw Terminal Adaptors - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr RS232 Cable	\$ 2,348.00
R-SRL-73R32-RS232-DC-BAT	Rugged RS232 32 Channel 14-bit RTD Input Unit, 24 DIO, 4 x RTD Screw Terminal Adaptors - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr RS232 Cable	\$ 2,294.00
R-SRL-73R32-RS485-AC	Rugged RS485 32 Channel 14-bit RTD Input Unit, 24 DIO, 4 x RTD Screw Terminal Adaptors - 90-264VAC input - incl 2.5Mtr AC Power Cable & ADPT-9	\$ 2,257.00
R-SRL-73R32-RS485-DC	Rugged RS485 32 Channel 14-bit RTD Input Unit, 24 DIO, 4 x RTD Screw Terminal Adaptors - 18-40VDC input - incl 2.5Mtr DC Power Cable & ADPT-9	\$ 2,203.00
R-SRL-73R32-RS485-AC-BAT	Rugged RS485 32 Channel 14-bit RTD Input Unit, 24 DIO, 4 x RTD Screw Terminal Adaptors - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & ADPT-9	\$ 2,348.00
R-SRL-73R32-RS485-DC-BAT	Rugged RS485 32 Channel 14-bit RTD Input Unit, 24 DIO, 4 x RTD Screw Terminal Adaptors - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & ADPT-9	\$ 2,294.00
R-SRL-30A16-73T16-RS232-AC	Rugged RS232 16 Channel 3KHz 14-bit A/D, 16 Channel 14-bit Thermocouple Input, 4 x 14-bit DACS, 24 DIO, 2 x CJC Screw Terminal Adaptors - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr RS232 Cable	\$ 1,784.00
R-SRL-30A16-73T16-RS232-DC	Rugged RS232 16 Channel 3KHz 14-bit A/D, 16 Channel 14-bit Thermocouple Input, 4 x 14-bit DACS, 24 DIO, 2 x CJC Screw Terminal Adaptors - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr RS232 Cable	\$ 1,729.00
R-SRL-30A16-73T16-RS232-AC-BAT	Rugged RS232 16 Channel 3KHz 14-bit A/D, 16 Channel 14-bit Thermocouple Input, 4 x 14-bit DACS, 24 DIO, 2 x CJC Screw Terminal Adaptors - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr RS232 Cable	\$ 1,875.00
R-SRL-30A16-73T16-RS232-DC-BAT	Rugged RS232 16 Channel 3KHz 14-bit A/D, 16 Channel 14-bit Thermocouple Input, 4 x 14-bit DACS, 24 DIO, 2 x CJC Screw Terminal Adaptors - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr RS232 Cable	\$ 1,821.00
R-SRL-30A16-73T32-RS232-AC	Rugged RS232 16 Channel 3KHz 14-bit A/D, 32 Channel 14-bit Thermocouple Input, 4 x 14-bit DACS, 24 DIO, 4 x CJC Screw Terminal Adaptors - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr RS232 Cable	\$ 2,147.00
R-SRL-30A16-73T32-RS232-DC	Rugged RS232 16 Channel 3KHz 14-bit A/D, 32 Channel 14-bit Thermocouple Input, 4 x 14-bit DACS, 24 DIO, 4 x CJC Screw Terminal Adaptors - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr RS232 Cable	\$ 2,093.00
R-SRL-30A16-73T32-RS232-AC-BAT	Rugged RS232 16 Channel 3KHz 14-bit A/D, 32 Channel 14-bit Thermocouple Input, 4 x 14-bit DACS, 24 DIO, 4 x CJC Screw Terminal Adaptors - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr RS232 Cable	\$ 2,238.00
R-SRL-30A16-73T32-RS232-DC-BAT	Rugged RS232 16 Channel 3KHz 14-bit A/D, 32 Channel 14-bit Thermocouple Input, 4 x 14-bit DACS, 24 DIO, 4 x CJC Screw Terminal Adaptors - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr RS232 Cable	\$ 2,183.00
R-SRL-30A16-73T16-RS485-AC	Rugged RS485 16 Channel 3KHz 14-bit A/D, 16 Channel 14-bit Thermocouple Input, 4 x 14-bit DACS, 24 DIO, 2 x CJC Screw Terminal Adaptors - 90-264VAC input - incl 2.5Mtr AC Power Cable & ADPT-9	\$ 1,784.00
R-SRL-30A16-73T16-RS485-DC	Rugged RS485 16 Channel 3KHz 14-bit A/D, 16 Channel 14-bit Thermocouple Input, 4 x 14-bit DACS, 24 DIO, 2 x CJC Screw Terminal Adaptors - 18-40VDC input - incl 2.5Mtr DC Power Cable & ADPT-9	\$ 1,729.00
R-SRL-30A16-73T16-RS485-AC-BAT	Rugged RS485 16 Channel 3KHz 14-bit A/D, 16 Channel 14-bit Thermocouple Input, 4 x 14-bit DACS, 24 DIO, 2 x CJC Screw Terminal Adaptors - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & ADPT-9	\$ 1,875.00
R-SRL-30A16-73T16-RS485-DC-BAT	Rugged RS485 16 Channel 3KHz 14-bit A/D, 16 Channel 14-bit Thermocouple Input, 4 x 14-bit DACS, 24 DIO, 2 x CJC Screw Terminal Adaptors - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & ADPT-9	\$ 1,821.00

R-SRL-30C16-73R16-RS485-AC	Rugged RS485 16 Channel 3KHz 16-bit A/D, 16 Channel 14-bit RTD Input, 4 x 16-bit DACS, 24 DIO, 2 x RTD Screw Terminal Adaptors - 90-264VAC input - incl 2.5Mtr AC Power Cable & ADPT-9	\$ 2,600.00
R-SRL-30C16-73R16-RS485-DC	Rugged RS485 16 Channel 3KHz 16-bit A/D, 16 Channel 14-bit RTD Input, 4 x 16-bit DACS, 24 DIO, 2 x RTD Screw Terminal Adaptors - 18-40VDC input - incl 2.5Mtr DC Power Cable & ADPT-9	\$ 2,546.00
R-SRL-30C16-73R16-RS485-AC-BAT	Rugged RS485 16 Channel 3KHz 16-bit A/D, 16 Channel 14-bit RTD Input, 4 x 16-bit DACS, 24 DIO, 2 x RTD Screw Terminal Adaptors - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & ADPT-9	\$ 2,691.00
R-SRL-30C16-73R16-RS485-DC-BAT	Rugged RS485 16 Channel 3KHz 16-bit A/D, 16 Channel 14-bit RTD Input, 4 x 16-bit DACS, 24 DIO, 2 x RTD Screw Terminal Adaptors - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & ADPT-9	\$ 2,637.00
R-SRL-30C32-73R16-RS485-AC	Rugged RS485 32 Channel 3KHz 16-bit A/D, 16 Channel 14-bit RTD Input, 4 x 16-bit DACS, 24 DIO, 2 x RTD Screw Terminal Adaptors - 90-264VAC input - incl 2.5Mtr AC Power Cable & ADPT-9	\$ 3,085.00
R-SRL-30C32-73R16-RS485-DC	Rugged RS485 32 Channel 3KHz 16-bit A/D, 16 Channel 14-bit RTD Input, 4 x 16-bit DACS, 24 DIO, 2 x RTD Screw Terminal Adaptors - 18-40VDC input - incl 2.5Mtr DC Power Cable & ADPT-9	\$ 3,030.00
R-SRL-30C32-73R16-RS485-AC-BAT	Rugged RS485 32 Channel 3KHz 16-bit A/D, 16 Channel 14-bit RTD Input, 4 x 16-bit DACS, 24 DIO, 2 x RTD Screw Terminal Adaptors - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & ADPT-9	\$ 3,175.00
R-SRL-30C32-73R16-RS485-DC-BAT	Rugged RS485 32 Channel 3KHz 16-bit A/D, 16 Channel 14-bit RTD Input, 4 x 16-bit DACS, 24 DIO, 2 x RTD Screw Terminal Adaptors - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & ADPT-9	\$ 3,121.00
R-SRL-30C16-73R32-RS485-AC	Rugged RS485 16 Channel 3KHz 16-bit A/D, 32 Channel 14-bit RTD Input, 4 x 16-bit DACS, 24 DIO, 4 x RTD Screw Terminal Adaptors - 90-264VAC input - incl 2.5Mtr AC Power Cable & ADPT-9	\$ 3,145.00
R-SRL-30C16-73R32-RS485-DC	Rugged RS485 16 Channel 3KHz 16-bit A/D, 32 Channel 14-bit RTD Input, 4 x 16-bit DACS, 24 DIO, 4 x RTD Screw Terminal Adaptors - 18-40VDC input - incl 2.5Mtr DC Power Cable & ADPT-9	\$ 3,090.00
R-SRL-30C16-73R32-RS485-AC-BAT	Rugged RS485 16 Channel 3KHz 16-bit A/D, 32 Channel 14-bit RTD Input, 4 x 16-bit DACS, 24 DIO, 4 x RTD Screw Terminal Adaptors - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & ADPT-9	\$ 3,235.00
R-SRL-30C16-73R32-RS485-DC-BAT	Rugged RS485 16 Channel 3KHz 16-bit A/D, 32 Channel 14-bit RTD Input, 4 x 16-bit DACS, 24 DIO, 4 x RTD Screw Terminal Adaptors - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & ADPT-9	\$ 3,180.00
RUGGED WIRELESS MICRODAQ - Digital I/O		
R-BT-24A-AC	Rugged Wireless 24 Channel DIO Unit - incl USB Wireless Dongle - 90-264VAC input - 2.5Mtr AC Power Cable & 2.4GHz Antenna	\$ 867.00
R-BT-24A-DC	Rugged Wireless 24 Channel DIO Unit - incl USB Wireless Dongle - 18-40VDC input - 2.5Mtr DC Power Cable & 2.4GHz Antenna	\$ 813.00
R-BT-24A-AC-BAT	Rugged Wireless 24 Channel DIO Unit - incl USB Wireless Dongle - 90-264VAC input with Battery/Charger - 2.5Mtr AC Power Cable & 2.4GHz Antenna	\$ 958.00
R-BT-24A-DC-BAT	Rugged Wireless 24 Channel DIO Unit - incl USB Wireless Dongle - 18-40VDC input with Battery/Charger - 2.5Mtr DC Power Cable & 2.4GHz Antenna	\$ 904.00
R-BT-72A-AC	Rugged Wireless 72 Channel DIO Unit - incl USB Wireless Dongle - 90-264VAC input - 2.5Mtr AC Power Cable & 2.4GHz Antenna	\$ 940.00
R-BT-72A-DC	Rugged Wireless 72 Channel DIO Unit - incl USB Wireless Dongle - 18-40VDC input - 2.5Mtr DC Power Cable & 2.4GHz Antenna	\$ 885.00
R-BT-72A-AC-BAT	Rugged Wireless 72 Channel DIO Unit - incl USB Wireless Dongle - 90-264VAC input with Battery/Charger - 2.5Mtr AC Power Cable & 2.4GHz Antenna	\$ 1,031.00
R-BT-72A-DC-BAT	Rugged Wireless 72 Channel DIO Unit - incl USB Wireless Dongle - 18-40VDC input with Battery/Charger - 2.5Mtr DC Power Cable & 2.4GHz Antenna	\$ 976.00
R-BT-120A-AC	Rugged Wireless 120 Channel DIO Unit - incl USB Wireless Dongle - 90-264VAC input - 2.5Mtr AC Power Cable & 2.4GHz Antenna	\$ 1,049.00
R-BT-120A-DC	Rugged Wireless 120 Channel DIO Unit - incl USB Wireless Dongle - 18-40VDC input - 2.5Mtr DC Power Cable & 2.4GHz Antenna	\$ 994.00
R-BT-120A-AC-BAT	Rugged Wireless 120 Channel DIO Unit - incl USB Wireless Dongle - 90-264VAC input with Battery/Charger - 2.5Mtr AC Power Cable & 2.4GHz Antenna	\$ 1,139.00
R-BT-120A-DC-BAT	Rugged Wireless 120 Channel DIO Unit - incl USB Wireless Dongle - 18-40VDC input with Battery/Charger - 2.5Mtr DC Power Cable & 2.4GHz Antenna	\$ 1,085.00
R-BT-168A-AC	Rugged Wireless 168 Channel DIO Unit - incl USB Wireless Dongle - 90-264VAC input - 2.5Mtr AC Power Cable & 2.4GHz Antenna	\$ 1,158.00
R-BT-168A-DC	Rugged Wireless 168 Channel DIO Unit - incl USB Wireless Dongle - 18-40VDC input - 2.5Mtr DC Power Cable & 2.4GHz Antenna	\$ 1,104.00
R-BT-168A-AC-BAT	Rugged Wireless 168 Channel DIO Unit - incl USB Wireless Dongle - 90-264VAC input with Battery/Charger - 2.5Mtr AC Power Cable & 2.4GHz Antenna	\$ 1,248.00
R-BT-168A-DC-BAT	Rugged Wireless 168 Channel DIO Unit - incl USB Wireless Dongle - 18-40VDC input with Battery/Charger - 2.5Mtr DC Power Cable & 2.4GHz Antenna	\$ 1,194.00
R-BT-62-16-AC	Rugged Wireless 24 Channel DIO Unit with additional 16 Opto Isolated Digital Inputs - incl 90-264 VAC Input; USB Bluetooth Dongle; 2.5Mtr AC power cable; 2.4 GHz Antenna	\$ 1,060.00
R-BT-62-16-DC	Rugged Wireless 24 Channel DIO Unit with additional 16 Opto Isolated Digital Inputs - incl 18-40 VDC Input; USB Bluetooth Dongle; 2.5Mtr DC power cable; 2.4 GHz Antenna	\$ 1,006.00
R-BT-62-16-AC-BAT	Rugged Wireless 24 Channel DIO Unit with additional 16 Opto Isolated Digital Inputs - incl 90-264 VAC Input; USB Bluetooth Dongle; battery/charger (20-25h batt life); 2.5Mtr AC power cable; 2.4 GHz Antenna	\$ 1,151.00
R-BT-62-16-DC-BAT	Rugged Wireless 24 Channel DIO Unit with additional 16 Opto Isolated Digital Inputs - incl 18-40 VDC Input; USB Bluetooth Dongle; 2.5Mtr DC power cable; battery/charger (20-25h batt life); 2.4 GHz Antenna	\$ 1,097.00
R-BT-62-32-AC	Rugged Wireless 24 Channel DIO Unit with additional 32 Opto Isolated Digital Inputs - incl 90-264 VAC Input; USB Bluetooth Dongle; 2.5Mtr AC power cable; 2.4 GHz Antenna	\$ 1,170.00

R-BT-69-48-AC	Rugged Wireless 24 Channel DIO Unit with additional 24 Opto Isolated Digital Inputs & 24 Reed Relay Digital Outputs - incl 90-264 VAC Input; USB Bluetooth Dongle; 2.5Mtr AC power cable; 2.4 GHz Antenna	\$ 1,425.00
R-BT-69-48-DC	Rugged Wireless 24 Channel DIO Unit with additional 24 Opto Isolated Digital Inputs & 24 Reed Relay Digital Outputs - incl 18-40 VDC Input; USB Bluetooth Dongle; 2.5Mtr DC power cable; 2.4 GHz Antenna	\$ 1,370.00
R-BT-69-48-AC-BAT	Rugged Wireless 24 Channel DIO Unit with additional 24 Opto Isolated Digital Inputs & 24 Reed Relay Digital Outputs - incl 90-264 VAC Input; USB Bluetooth Dongle; battery/charger (20-25h batt life); 2.5Mtr AC power cable; 2.4 GHz Antenna	\$ 1,516.00
R-BT-69-48-DC-BAT	Rugged Wireless 24 Channel DIO Unit with additional 24 Opto Isolated Digital Inputs & 24 Reed Relay Digital Outputs - incl 18-40 VDC Input; USB Bluetooth Dongle; 2.5Mtr DC power cable; battery/charger (20-25h batt life); 2.4 GHz Antenna	\$ 1,462.00
R-BT-48C-AC	Rugged Wireless 48 Channel DIO Unit with 6 Counter/Timers - incl USB Wireless Dongle - 90-264VAC input - 2.5Mtr AC Power Cable & 2.4GHz Antenna	\$ 1,066.00
R-BT-48C-DC	Rugged Wireless 48 Channel DIO Unit with 6 Counter/Timers - incl USB Wireless Dongle - 18-40VDC input - 2.5Mtr DC Power Cable & 2.4GHz Antenna	\$ 1,011.00
R-BT-48C-AC-BAT	Rugged Wireless 48 Channel DIO Unit with 6 Counter/Timers - incl USB Wireless Dongle - 90-264VAC input with Battery/Charger - 2.5Mtr AC Power Cable & 2.4GHz Antenna	\$ 1,156.00
R-BT-48C-DC-BAT	Rugged Wireless 48 Channel DIO Unit with 6 Counter/Timers - incl USB Wireless Dongle - 18-40VDC input with Battery/Charger - 2.5Mtr DC Power Cable & 2.4GHz Antenna	\$ 1,101.00
R-BT-96C-AC	Rugged Wireless 96 Channel DIO Unit with 6 Counter/Timers - incl USB Wireless Dongle - 90-264VAC input - 2.5Mtr AC Power Cable & 2.4GHz Antenna	\$ 1,138.00
R-BT-96C-DC	Rugged Wireless 96 Channel DIO Unit with 6 Counter/Timers - incl USB Wireless Dongle - 18-40VDC input - 2.5Mtr DC Power Cable & 2.4GHz Antenna	\$ 1,084.00
R-BT-96C-AC-BAT	Rugged Wireless 96 Channel DIO Unit with 6 Counter/Timers - incl USB Wireless Dongle - 90-264VAC input with Battery/Charger - 2.5Mtr AC Power Cable & 2.4GHz Antenna	\$ 1,228.00
R-BT-96C-DC-BAT	Rugged Wireless 96 Channel DIO Unit with 6 Counter/Timers - incl USB Wireless Dongle - 18-40VDC input with Battery/Charger - 2.5Mtr DC Power Cable & 2.4GHz Antenna	\$ 1,175.00
R-BT-144C-AC	Rugged Wireless 144 Channel DIO Unit with 6 Counter/Timers - incl USB Wireless Dongle - 90-264VAC input - 2.5Mtr AC Power Cable & 2.4GHz Antenna	\$ 1,211.00
R-BT-144C-DC	Rugged Wireless 144 Channel DIO Unit with 6 Counter/Timers - incl USB Wireless Dongle - 18-40VDC input - 2.5Mtr DC Power Cable & 2.4GHz Antenna	\$ 1,156.00
R-BT-144C-AC-BAT	Rugged Wireless 144 Channel DIO Unit with 6 Counter/Timers - incl USB Wireless Dongle - 90-264VAC input with Battery/Charger - 2.5Mtr AC Power Cable & 2.4GHz Antenna	\$ 1,302.00
R-BT-144C-DC-BAT	Rugged Wireless 144 Channel DIO Unit with 6 Counter/Timers - incl USB Wireless Dongle - 18-40VDC input with Battery/Charger - 2.5Mtr DC Power Cable & 2.4GHz Antenna	\$ 1,247.00
RUGGED WIRELESS MICRODAQ - Analog I/O		
R-BT-26A16-AC	Rugged Wireless 16 Channel 3KHz 14-bit A/D, 24 DIO - incl USB Wireless Dongle - 90-264VAC input - 2.5Mtr AC Power Cable & 2.4GHz Antenna	\$ 1,378.00
R-BT-26A16-DC	Rugged Wireless 16 Channel 3KHz 14-bit A/D, 24 DIO - incl USB Wireless Dongle - 18-40VDC input - 2.5Mtr DC Power Cable & 2.4GHz Antenna	\$ 1,323.00
R-BT-26A16-AC-BAT	Rugged Wireless 16 Channel 3KHz 14-bit A/D, 24 DIO - incl USB Wireless Dongle - 90-264VAC input with Battery/Charger - 2.5Mtr AC Power Cable & 2.4GHz Antenna	\$ 1,468.00
R-BT-26A16-DC-BAT	Rugged Wireless 16 Channel 3KHz 14-bit A/D, 24 DIO - incl USB Wireless Dongle - 18-40VDC input with Battery/Charger - 2.5Mtr DC Power Cable & 2.4GHz Antenna	\$ 1,413.00
R-BT-26C16-AC	Rugged Wireless 16 Channel 3KHz 16-bit A/D, 24 DIO - incl USB Wireless Dongle - 90-264VAC input - 2.5Mtr AC Power Cable & 2.4GHz Antenna	\$ 1,800.00
R-BT-26C16-DC	Rugged Wireless 16 Channel 3KHz 16-bit A/D, 24 DIO - incl USB Wireless Dongle - 18-40VDC input - 2.5Mtr DC Power Cable & 2.4GHz Antenna	\$ 1,745.00
R-BT-26C16-AC-BAT	Rugged Wireless 16 Channel 3KHz 16-bit A/D, 24 DIO - incl USB Wireless Dongle - 90-264VAC input with Battery/Charger - 2.5Mtr AC Power Cable & 2.4GHz Antenna	\$ 1,890.00
R-BT-26C16-DC-BAT	Rugged Wireless 16 Channel 3KHz 16-bit A/D, 24 DIO - incl USB Wireless Dongle - 18-40VDC input with Battery/Charger - 2.5Mtr DC Power Cable & 2.4GHz Antenna	\$ 1,835.00
R-BT-26C32-AC	Rugged Wireless 32 Channel 3KHz 16-bit A/D, 24 DIO - incl USB Wireless Dongle - 90-264VAC input - 2.5Mtr AC Power Cable & 2.4GHz Antenna	\$ 2,244.00
R-BT-26C32-DC	Rugged Wireless 32 Channel 3KHz 16-bit A/D, 24 DIO - incl USB Wireless Dongle - 18-40VDC input - 2.5Mtr DC Power Cable & 2.4GHz Antenna	\$ 2,189.00
R-BT-26C32-AC-BAT	Rugged Wireless 32 Channel 3KHz 16-bit A/D, 24 DIO - incl USB Wireless Dongle - 90-264VAC input with Battery/Charger - 2.5Mtr AC Power Cable & 2.4GHz Antenna	\$ 2,334.00
R-BT-26C32-DC-BAT	Rugged Wireless 32 Channel 3KHz 16-bit A/D, 24 DIO - incl USB Wireless Dongle - 18-40VDC input with Battery/Charger - 2.5Mtr DC Power Cable & 2.4GHz Antenna	\$ 2,280.00
R-BT-30A16-AC	Rugged Wireless 16 Channel 3KHz 14-bit A/D, 4 x 14-bit DACS, 24 DIO - incl USB Wireless Dongle - 90-264VAC input - 2.5Mtr AC Power Cable & 2.4GHz Antenna	\$ 1,443.00
R-BT-30A16-DC	Rugged Wireless 16 Channel 3KHz 14-bit A/D, 4 x 14-bit DACS, 24 DIO - incl USB Wireless Dongle - 18-40VDC input - 2.5Mtr DC Power Cable & 2.4GHz Antenna	\$ 1,389.00
R-BT-30A16-AC-BAT	Rugged Wireless 16 Channel 3KHz 14-bit A/D, 4 x 14-bit DACS, 24 DIO - incl USB Wireless Dongle - 90-264VAC input with Battery/Charger - 2.5Mtr AC Power Cable & 2.4GHz Antenna	\$ 1,534.00

R-BT-30A16-DC-BAT	Rugged Wireless 16 Channel 3KHz 14-bit A/D, 4 x 14-bit DACS, 24 DIO - incl USB Wireless Dongle - 18-40VDC input with Battery/Charger - 2.5Mtr DC Power Cable & 2.4GHz Antenna	\$ 1,479.00
R-BT-30C16-AC	Rugged Wireless 16 Channel 3KHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - incl USB Wireless Dongle - 90-264VAC input - 2.5Mtr AC Power Cable & 2.4GHz Antenna	\$ 1,899.00
R-BT-30C16-DC	Rugged Wireless 16 Channel 3KHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - incl USB Wireless Dongle - 18-40VDC input - 2.5Mtr DC Power Cable & 2.4GHz Antenna	\$ 1,845.00
R-BT-30C16-AC-BAT	Rugged Wireless 16 Channel 3KHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - incl USB Wireless Dongle - 90-264VAC input with Battery/Charger - 2.5Mtr AC Power Cable & 2.4GHz Antenna	\$ 1,990.00
R-BT-30C16-DC-BAT	Rugged Wireless 16 Channel 3KHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - incl USB Wireless Dongle - 18-40VDC input with Battery/Charger - 2.5Mtr DC Power Cable & 2.4GHz Antenna	\$ 1,935.00
R-BT-30C32-AC	Rugged Wireless 32 Channel 3KHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - incl USB Wireless Dongle - 90-264VAC input - 2.5Mtr AC Power Cable & 2.4GHz Antenna	\$ 2,383.00
R-BT-30C32-DC	Rugged Wireless 32 Channel 3KHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - incl USB Wireless Dongle - 18-40VDC input - 2.5Mtr DC Power Cable & 2.4GHz Antenna	\$ 2,329.00
R-BT-30C32-AC-BAT	Rugged Wireless 32 Channel 3KHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - incl USB Wireless Dongle - 90-264VAC input with Battery/Charger - 2.5Mtr AC Power Cable & 2.4GHz Antenna	\$ 2,474.00
R-BT-30C32-DC-BAT	Rugged Wireless 32 Channel 3KHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - incl USB Wireless Dongle - 18-40VDC input with Battery/Charger - 2.5Mtr DC Power Cable & 2.4GHz Antenna	\$ 2,419.00
RUGGED WIRELESS MICRODAQ - Temperature Inputs		
R-BT-73T16-AC	Rugged Wireless 16 Channel 14-bit Thermocouple Input Unit, 24 DIO, 2 x CJC Screw Terminal Adaptor - incl USB Wireless Dongle - 90-264VAC input - 2.5Mtr AC Power Cable & 2.4GHz Antenna	\$ 1,558.00
R-BT-73T16-DC	Rugged Wireless 16 Channel 14-bit Thermocouple Input Unit, 24 DIO, 2 x CJC Screw Terminal Adaptor - incl USB Wireless Dongle - 18-40VDC input - 2.5Mtr DC Power Cable & 2.4GHz Antenna	\$ 1,504.00
R-BT-73T16-AC-BAT	Rugged Wireless 16 Channel 14-bit Thermocouple Input Unit, 24 DIO, 2 x CJC Screw Terminal Adaptor - incl USB Wireless Dongle - 90-264VAC input with Battery/Charger - 2.5Mtr AC Power Cable & 2.4GHz Antenna	\$ 1,648.00
R-BT-73T16-DC-BAT	Rugged Wireless 16 Channel 14-bit Thermocouple Input Unit, 24 DIO, 2 x CJC Screw Terminal Adaptor - incl USB Wireless Dongle - 18-40VDC input with Battery/Charger - 2.5Mtr DC Power Cable & 2.4GHz Antenna	\$ 1,594.00
R-BT-73T32-AC	Rugged Wireless 32 Channel 14-bit Thermocouple Input Unit, 24 DIO, 4 x CJC Screw Terminal Adaptors - incl USB Wireless Dongle - 90-264VAC input - 2.5Mtr AC Power Cable & 2.4GHz Antenna	\$ 1,920.00
R-BT-73T32-DC	Rugged Wireless 32 Channel 14-bit Thermocouple Input Unit, 24 DIO, 4 x CJC Screw Terminal Adaptors - incl USB Wireless Dongle - 18-40VDC input - 2.5Mtr DC Power Cable & 2.4GHz Antenna	\$ 1,866.00
R-BT-73T32-AC-BAT	Rugged Wireless 32 Channel 14-bit Thermocouple Input Unit, 24 DIO, 4 x CJC Screw Terminal Adaptors - incl USB Wireless Dongle - 90-264VAC input with Battery/Charger - 2.5Mtr AC Power Cable & 2.4GHz Antenna	\$ 2,012.00
R-BT-73T32-DC-BAT	Rugged Wireless 32 Channel 14-bit Thermocouple Input Unit, 24 DIO, 4 x CJC Screw Terminal Adaptors - incl USB Wireless Dongle - 18-40VDC input with Battery/Charger - 2.5Mtr DC Power Cable & 2.4GHz Antenna	\$ 1,957.00
R-BT-73R16-AC	Rugged Wireless 16 Channel 14-bit RTD Input Unit, 24 DIO, 2 x RTD Screw Terminal Adaptor - incl USB Wireless Dongle - 90-264VAC input - 2.5Mtr AC Power Cable & 2.4GHz Antenna	\$ 1,822.00
R-BT-73R16-DC	Rugged Wireless 16 Channel 14-bit RTD Input Unit, 24 DIO, 2 x RTD Screw Terminal Adaptor - incl USB Wireless Dongle - 18-40VDC input - 2.5Mtr DC Power Cable & 2.4GHz Antenna	\$ 1,768.00
R-BT-73R16-AC-BAT	Rugged Wireless 16 Channel 14-bit RTD Input Unit, 24 DIO, 2 x RTD Screw Terminal Adaptor - incl USB Wireless Dongle - 90-264VAC input with Battery/Charger - 2.5Mtr AC Power Cable & 2.4GHz Antenna	\$ 1,913.00
R-BT-73R16-DC-BAT	Rugged Wireless 16 Channel 14-bit RTD Input Unit, 24 DIO, 2 x RTD Screw Terminal Adaptor - incl USB Wireless Dongle - 18-40VDC input with Battery/Charger - 2.5Mtr DC Power Cable & 2.4GHz Antenna	\$ 1,858.00
R-BT-73R32-AC	Rugged Wireless 32 Channel 14-bit RTD Input Unit, 24 DIO, 4 x RTD Screw Terminal Adaptors - incl USB Wireless Dongle - 90-264VAC input - 2.5Mtr AC Power Cable & 2.4GHz Antenna	\$ 2,367.00
R-BT-73R32-DC	Rugged Wireless 32 Channel 14-bit RTD Input Unit, 24 DIO, 4 x RTD Screw Terminal Adaptors - incl USB Wireless Dongle - 18-40VDC input - 2.5Mtr DC Power Cable & 2.4GHz Antenna	\$ 2,312.00
R-BT-73R32-AC-BAT	Rugged Wireless 32 Channel 14-bit RTD Input Unit, 24 DIO, 4 x RTD Screw Terminal Adaptors - incl USB Wireless Dongle - 90-264VAC input with Battery/Charger - 2.5Mtr AC Power Cable & 2.4GHz Antenna	\$ 2,457.00
R-BT-73R32-DC-BAT	Rugged Wireless 32 Channel 14-bit RTD Input Unit, 24 DIO, 4 x RTD Screw Terminal Adaptors - incl USB Wireless Dongle - 18-40VDC input with Battery/Charger - 2.5Mtr DC Power Cable & 2.4GHz Antenna	\$ 2,402.00
R-BT-30A16-73T16-AC	Rugged Wireless 16 Channel 3KHz 14-bit A/D, 16 Channel 14-bit Thermocouple Input, 4 x 14-bit DACS, 24 DIO, 2 x CJC Screw Terminal Adaptors - incl USB Wireless Dongle - 90-264VAC input - 2.5Mtr AC Power Cable & 2.4GHz Antenna	\$ 1,893.00
R-BT-30A16-73T16-DC	Rugged Wireless 16 Channel 3KHz 14-bit A/D, 16 Channel 14-bit Thermocouple Input, 4 x 14-bit DACS, 24 DIO, 2 x CJC Screw Terminal Adaptors - incl USB Wireless Dongle - 18-40VDC input - 2.5Mtr DC Power Cable & 2.4GHz Antenna	\$ 1,839.00

R-BT-30A16-73R32-AC-BAT	Rugged Wireless 16 Channel 3KHz 14-bit A/D, 32 Channel 14-bit RTD Input, 4 x 14-bit DACS, 24 DIO, 4 x RTD Screw Terminal Adaptors - incl USB Wireless Dongle - 90-264VAC input with Battery/Charger - 2.5Mtr AC Power Cable & 2.4GHz Antenna	\$	2,800.00
R-BT-30A16-73R32-DC-BAT	Rugged Wireless 16 Channel 3KHz 14-bit A/D, 32 Channel 14-bit RTD Input, 4 x 14-bit DACS, 24 DIO, 4 x RTD Screw Terminal Adaptors - incl USB Wireless Dongle - 18-40VDC input with Battery/Charger - 2.5Mtr DC Power Cable & 2.4GHz Antenna	\$	2,746.00
R-BT-30C16-73R16-AC	Rugged Wireless 16 Channel 3KHz 16-bit A/D, 16 Channel 14-bit RTD Input, 4 x 16-bit DACS, 24 DIO, 2 x RTD Screw Terminal Adaptors - incl USB Wireless Dongle - 90-264VAC input - 2.5Mtr AC Power Cable & 2.4GHz Antenna	\$	2,709.00
R-BT-30C16-73R16-DC	Rugged Wireless 16 Channel 3KHz 16-bit A/D, 16 Channel 14-bit RTD Input, 4 x 16-bit DACS, 24 DIO, 2 x RTD Screw Terminal Adaptors - incl USB Wireless Dongle - 18-40VDC input - 2.5Mtr DC Power Cable & 2.4GHz Antenna	\$	2,654.00
R-BT-30C16-73R16-AC-BAT	Rugged Wireless 16 Channel 3KHz 16-bit A/D, 16 Channel 14-bit RTD Input, 4 x 16-bit DACS, 24 DIO, 2 x RTD Screw Terminal Adaptors - incl USB Wireless Dongle - 90-264VAC input with Battery/Charger - 2.5Mtr AC Power Cable & 2.4GHz Antenna	\$	2,800.00
R-BT-30C16-73R16-DC-BAT	Rugged Wireless 16 Channel 3KHz 16-bit A/D, 16 Channel 14-bit RTD Input, 4 x 16-bit DACS, 24 DIO, 2 x RTD Screw Terminal Adaptors - incl USB Wireless Dongle - 18-40VDC input with Battery/Charger - 2.5Mtr DC Power Cable & 2.4GHz Antenna	\$	2,746.00
R-BT-30C32-73R16-AC	Rugged Wireless 32 Channel 3KHz 16-bit A/D, 16 Channel 14-bit RTD Input, 4 x 16-bit DACS, 24 DIO, 2 x RTD Screw Terminal Adaptors - incl USB Wireless Dongle - 90-264VAC input - 2.5Mtr AC Power Cable & 2.4GHz Antenna	\$	3,193.00
R-BT-30C32-73R16-DC	Rugged Wireless 32 Channel 3KHz 16-bit A/D, 16 Channel 14-bit RTD Input, 4 x 16-bit DACS, 24 DIO, 2 x RTD Screw Terminal Adaptors - incl USB Wireless Dongle - 18-40VDC input - 2.5Mtr DC Power Cable & 2.4GHz Antenna	\$	3,138.00
R-BT-30C32-73R16-AC-BAT	Rugged Wireless 32 Channel 3KHz 16-bit A/D, 16 Channel 14-bit RTD Input, 4 x 16-bit DACS, 24 DIO, 2 x RTD Screw Terminal Adaptors - incl USB Wireless Dongle - 90-264VAC input with Battery/Charger - 2.5Mtr AC Power Cable & 2.4GHz Antenna	\$	3,284.00
R-BT-30C32-73R16-DC-BAT	Rugged Wireless 32 Channel 3KHz 16-bit A/D, 16 Channel 14-bit RTD Input, 4 x 16-bit DACS, 24 DIO, 2 x RTD Screw Terminal Adaptors - incl USB Wireless Dongle - 18-40VDC input with Battery/Charger - 2.5Mtr DC Power Cable & 2.4GHz Antenna	\$	3,230.00
R-BT-30C16-73R32-AC	Rugged Wireless 16 Channel 3KHz 16-bit A/D, 32 Channel 14-bit RTD Input, 4 x 16-bit DACS, 24 DIO, 4 x RTD Screw Terminal Adaptors - incl USB Wireless Dongle - 90-264VAC input - 2.5Mtr AC Power Cable & 2.4GHz Antenna	\$	3,254.00
R-BT-30C16-73R32-DC	Rugged Wireless 16 Channel 3KHz 16-bit A/D, 32 Channel 14-bit RTD Input, 4 x 16-bit DACS, 24 DIO, 4 x RTD Screw Terminal Adaptors - incl USB Wireless Dongle - 18-40VDC input - 2.5Mtr DC Power Cable & 2.4GHz Antenna	\$	3,199.00
R-BT-30C16-73R32-AC-BAT	Rugged Wireless 16 Channel 3KHz 16-bit A/D, 32 Channel 14-bit RTD Input, 4 x 16-bit DACS, 24 DIO, 4 x RTD Screw Terminal Adaptors - incl USB Wireless Dongle - 90-264VAC input with Battery/Charger - 2.5Mtr AC Power Cable & 2.4GHz Antenna	\$	3,344.00
R-BT-30C16-73R32-DC-BAT	Rugged Wireless 16 Channel 3KHz 16-bit A/D, 32 Channel 14-bit RTD Input, 4 x 16-bit DACS, 24 DIO, 4 x RTD Screw Terminal Adaptors - incl USB Wireless Dongle - 18-40VDC input with Battery/Charger - 2.5Mtr DC Power Cable & 2.4GHz Antenna	\$	3,290.00
RUGGED ETHERNET MICRODAQ - Digital I/O			
R-NET-24A-AC	Rugged Ethernet 24 Channel DIO Unit - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr Rugged Ethernet Cable	\$	994.00
R-NET-24A-DC	Rugged Ethernet 24 Channel DIO Unit - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr Rugged Ethernet Cable	\$	940.00
R-NET-24A-AC-BAT	Rugged Ethernet 24 Channel DIO Unit - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr Rugged Ethernet Cable	\$	1,085.00
R-NET-24A-DC-BAT	Rugged Ethernet 24 Channel DIO Unit - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr Rugged Ethernet Cable	\$	1,031.00
R-NET-72A-AC	Rugged Ethernet 72 Channel DIO Unit - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr Rugged Ethernet Cable	\$	1,067.00
R-NET-72A-DC	Rugged Ethernet 72 Channel DIO Unit - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr Rugged Ethernet Cable	\$	1,012.00
R-NET-72A-AC-BAT	Rugged Ethernet 72 Channel DIO Unit - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr Rugged Ethernet Cable	\$	1,158.00
R-NET-72A-DC-BAT	Rugged Ethernet 72 Channel DIO Unit - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr Rugged Ethernet Cable	\$	1,104.00
R-NET-120A-AC	Rugged Ethernet 120 Channel DIO Unit - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr Rugged Ethernet Cable	\$	1,176.00
R-NET-120A-DC	Rugged Ethernet 120 Channel DIO Unit - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr Rugged Ethernet Cable	\$	1,121.00
R-NET-120A-AC-BAT	Rugged Ethernet 120 Channel DIO Unit - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr Rugged Ethernet Cable	\$	1,266.00
R-NET-120A-DC-BAT	Rugged Ethernet 120 Channel DIO Unit - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr Rugged Ethernet Cable	\$	1,212.00
R-NET-168A-AC	Rugged Ethernet 168 Channel DIO Unit - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr Rugged Ethernet Cable	\$	1,284.00
R-NET-168A-DC	Rugged Ethernet 168 Channel DIO Unit - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr Rugged Ethernet Cable	\$	1,231.00
R-NET-168A-AC-BAT	Rugged Ethernet 168 Channel DIO Unit - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr Rugged Ethernet Cable	\$	1,375.00
R-NET-168A-DC-BAT	Rugged Ethernet 168 Channel DIO Unit - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr Rugged Ethernet Cable	\$	1,321.00

R-NET-69-32-AC	Rugged Ethernet 24 Channel DIO Unit with additional 16 Opto Isolated Digital Inputs & 16 Reed Relay Digital Outputs - incl 90-264 VAC Input; 2.5Mtr AC power cable; 5Mtr Rugged Ethernet Cable	\$ 1,407.00
R-NET-69-32-DC	Rugged Ethernet 24 Channel DIO Unit with additional 16 Opto Isolated Digital Inputs & 16 Reed Relay Digital Outputs - incl 18-40 VDC Input; 2.5Mtr DC power cable; 5Mtr Rugged Ethernet Cable	\$ 1,352.00
R-NET-69-32-AC-BAT	Rugged Ethernet 24 Channel DIO Unit with additional 16 Opto Isolated Digital Inputs & 16 Reed Relay Digital Outputs - incl 90-264 VAC Input; battery/charger ; 2.5Mtr AC power cable; 5Mtr Rugged Ethernet Cable	\$ 1,497.00
R-NET-69-32-DC-BAT	Rugged Ethernet 24 Channel DIO Unit with additional 16 Opto Isolated Digital Inputs & 16 Reed Relay Digital Outputs - incl 18-40 VDC Input: 2.5Mtr DC power cable; battery/charger ; 5Mtr Rugged Ethernet Cable	\$ 1,443.00
R-NET-69-48-AC	Rugged Ethernet 24 Channel DIO Unit with additional 24 Opto Isolated Digital Inputs & 24 Reed Relay Digital Outputs - incl 90-264 VAC Input; 2.5Mtr AC power cable; 5Mtr Rugged Ethernet Cable	\$ 1,552.00
R-NET-69-48-DC	Rugged Ethernet 24 Channel DIO Unit with additional 24 Opto Isolated Digital Inputs & 24 Reed Relay Digital Outputs - incl 18-40 VDC Input; 2.5Mtr DC power cable; 5Mtr Rugged Ethernet Cable	\$ 1,497.00
R-NET-69-48-AC-BAT	Rugged Ethernet 24 Channel DIO Unit with additional 24 Opto Isolated Digital Inputs & 24 Reed Relay Digital Outputs - incl 90-264 VAC Input; battery/charger ; 2.5Mtr AC power cable; 5Mtr Rugged Ethernet Cable	\$ 1,643.00
R-NET-69-48-DC-BAT	Rugged Ethernet 24 Channel DIO Unit with additional 24 Opto Isolated Digital Inputs & 24 Reed Relay Digital Outputs - incl 18-40 VDC Input: 2.5Mtr DC power cable; battery/charger ; 5Mtr Rugged Ethernet Cable	\$ 1,589.00
R-NET-48C-AC	Rugged Ethernet 48 Channel DIO Unit with 6 Counter/Timers - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr Rugged Ethernet Cable	\$ 1,193.00
R-NET-48C-DC	Rugged Ethernet 48 Channel DIO Unit with 6 Counter/Timers - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr Rugged Ethernet Cable	\$ 1,138.00
R-NET-48C-AC-BAT	Rugged Ethernet 48 Channel DIO Unit with 6 Counter/Timers - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr Rugged Ethernet Cable	\$ 1,283.00
R-NET-48C-DC-BAT	Rugged Ethernet 48 Channel DIO Unit with 6 Counter/Timers - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr Rugged Ethernet Cable	\$ 1,228.00
R-NET-96C-AC	Rugged Ethernet 96 Channel DIO Unit with 6 Counter/Timers - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr Rugged Ethernet Cable	\$ 1,265.00
R-NET-96C-DC	Rugged Ethernet 96 Channel DIO Unit with 6 Counter/Timers - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr Rugged Ethernet Cable	\$ 1,211.00
R-NET-96C-AC-BAT	Rugged Ethernet 96 Channel DIO Unit with 6 Counter/Timers - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr Rugged Ethernet Cable	\$ 1,356.00
R-NET-96C-DC-BAT	Rugged Ethernet 96 Channel DIO Unit with 6 Counter/Timers - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr Rugged Ethernet Cable	\$ 1,302.00
R-NET-144C-AC	Rugged Ethernet 144 Channel DIO Unit with 6 Counter/Timers - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr Rugged Ethernet Cable	\$ 1,338.00
R-NET-144C-DC	Rugged Ethernet 144 Channel DIO Unit with 6 Counter/Timers - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr Rugged Ethernet Cable	\$ 1,283.00
R-NET-144C-AC-BAT	Rugged Ethernet 144 Channel DIO Unit with 6 Counter/Timers - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr Rugged Ethernet Cable	\$ 1,428.00
R-NET-144C-DC-BAT	Rugged Ethernet 144 Channel DIO Unit with 6 Counter/Timers - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr Rugged Ethernet Cable	\$ 1,374.00
RUGGED ETHERNET MICRODAQ - Analog I/O		
R-NET-26C16-AC	Rugged Ethernet 16 Channel 250KHz 16-bit A/D, 24 DIO - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr Rugged Ethernet Cable	\$ 2,325.00
R-NET-26C16-DC	Rugged Ethernet 16 Channel 250KHz 16-bit A/D, 24 DIO - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr Rugged Ethernet Cable	\$ 2,271.00
R-NET-26C16-AC-BAT	Rugged Ethernet 16 Channel 250KHz 16-bit A/D, 24 DIO - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr Rugged Ethernet Cable	\$ 2,416.00
R-NET-26C16-DC-BAT	Rugged Ethernet 16 Channel 250KHz 16-bit A/D, 24 DIO - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr Rugged Ethernet Cable	\$ 2,361.00
R-NET-26C32-AC	Rugged Ethernet 32 Channel 250KHz 16-bit A/D, 24 DIO - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr Rugged Ethernet Cable	\$ 2,770.00
R-NET-26C32-DC	Rugged Ethernet 32 Channel 250KHz 16-bit A/D, 24 DIO - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr Rugged Ethernet Cable	\$ 2,715.00
R-NET-26C32-AC-BAT	Rugged Ethernet 32 Channel 250KHz 16-bit A/D, 24 DIO - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr Rugged Ethernet Cable	\$ 2,860.00
R-NET-26C32-DC-BAT	Rugged Ethernet 32 Channel 250KHz 16-bit A/D, 24 DIO - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr Rugged Ethernet Cable	\$ 2,806.00
R-NET-26D16-AC	Rugged Ethernet 16 Channel 1MHz 16-bit A/D, 24 DIO - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr Rugged Ethernet Cable	\$ 2,507.00
R-NET-26D16-DC	Rugged Ethernet 16 Channel 1MHz 16-bit A/D, 24 DIO - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr Rugged Ethernet Cable	\$ 2,454.00
R-NET-26D16-AC-BAT	Rugged Ethernet 16 Channel 1MHz 16-bit A/D, 24 DIO - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr Rugged Ethernet Cable	\$ 2,599.00
R-NET-26D16-DC-BAT	Rugged Ethernet 16 Channel 1MHz 16-bit A/D, 24 DIO - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr Rugged Ethernet Cable	\$ 2,544.00
R-NET-26D32-AC	Rugged Ethernet 32 Channel 1MHz 16-bit A/D, 24 DIO - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr Rugged Ethernet Cable	\$ 3,025.00
R-NET-26D32-DC	Rugged Ethernet 32 Channel 1MHz 16-bit A/D, 24 DIO - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr Rugged Ethernet Cable	\$ 2,970.00
R-NET-26D32-AC-BAT	Rugged Ethernet 32 Channel 1MHz 16-bit A/D, 24 DIO - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr Rugged Ethernet Cable	\$ 3,116.00
R-NET-26D32-DC-BAT	Rugged Ethernet 32 Channel 1MHz 16-bit A/D, 24 DIO - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr Rugged Ethernet Cable	\$ 3,062.00
R-NET-30C16-AC	Rugged Ethernet 16 Channel 250KHz 16-bit A/D, 4 x 16-bit DACs, 24 DIO - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr Rugged Ethernet Cable	\$ 2,152.00

R-NET-30C16-DC	Rugged Ethernet 16 Channel 250KHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr Rugged Ethernet Cable	\$ 2,099.00
R-NET-30C16-AC-BAT	Rugged Ethernet 16 Channel 250KHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr Rugged Ethernet Cable	\$ 2,244.00
R-NET-30C16-DC-BAT	Rugged Ethernet 16 Channel 250KHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr Rugged Ethernet Cable	\$ 2,189.00
R-NET-30C32-AC	Rugged Ethernet 32 Channel 250KHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr Rugged Ethernet Cable	\$ 2,638.00
R-NET-30C32-DC	Rugged Ethernet 32 Channel 250KHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr Rugged Ethernet Cable	\$ 2,583.00
R-NET-30C32-AC-BAT	Rugged Ethernet 32 Channel 250KHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr Rugged Ethernet Cable	\$ 2,728.00
R-NET-30C32-DC-BAT	Rugged Ethernet 32 Channel 250KHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr Rugged Ethernet Cable	\$ 2,673.00
R-NET-30D16-AC	Rugged Ethernet 16 Channel 1MHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr Rugged Ethernet Cable	\$ 2,345.00
R-NET-30D16-DC	Rugged Ethernet 16 Channel 1MHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr Rugged Ethernet Cable	\$ 2,290.00
R-NET-30D16-AC-BAT	Rugged Ethernet 16 Channel 1MHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr Rugged Ethernet Cable	\$ 2,435.00
R-NET-30D16-DC-BAT	Rugged Ethernet 16 Channel 1MHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr Rugged Ethernet Cable	\$ 2,381.00
R-NET-30D32-AC	Rugged Ethernet 32 Channel 1MHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - 90-264VAC input - incl 2.5Mtr AC Power Cable & 5Mtr Rugged Ethernet Cable	\$ 2,905.00
R-NET-30D32-DC	Rugged Ethernet 32 Channel 1MHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - 18-40VDC input - incl 2.5Mtr DC Power Cable & 5Mtr Rugged Ethernet Cable	\$ 2,852.00
R-NET-30D32-AC-BAT	Rugged Ethernet 32 Channel 1MHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - 90-264VAC input with Battery/Charger incl 2.5Mtr AC Power Cable & 5Mtr Rugged Ethernet Cable	\$ 2,997.00
R-NET-30D32-DC-BAT	Rugged Ethernet 32 Channel 1MHz 16-bit A/D, 4 x 16-bit DACS, 24 DIO - 18-40VDC input with Battery/Charger incl 2.5Mtr DC Power Cable & 5Mtr Rugged Ethernet Cable	\$ 2,942.00

RUGGED ETHERNET MICRODAQ - Temperature Inputs

R-NET-73T16-AC	Coming Soon	
R-NET-73T16-DC	Coming Soon	
R-NET-73T16-AC-BAT	Coming Soon	
R-NET-73T16-DC-BAT	Coming Soon	
R-NET-73T32-AC	Coming Soon	
R-NET-73T32-DC	Coming Soon	
R-NET-73T32-AC-BAT	Coming Soon	
R-NET-73T32-DC-BAT	Coming Soon	
R-NET-73R16-AC	Coming Soon	
R-NET-73R16-DC	Coming Soon	
R-NET-73R16-AC-BAT	Coming Soon	
R-NET-73R16-DC-BAT	Coming Soon	
R-NET-73R32-AC	Coming Soon	
R-NET-73R32-DC	Coming Soon	
R-NET-73R32-AC-BAT	Coming Soon	
R-NET-73R32-DC-BAT	Coming Soon	
R-NET-30C16-73T16-AC	Coming Soon	
R-NET-30C16-73T16-DC	Coming Soon	
R-NET-30C16-73T16-AC-BAT	Coming Soon	
R-NET-30C16-73T16-DC-BAT	Coming Soon	
R-NET-30C32-73T16-AC	Coming Soon	
R-NET-30C32-73T16-DC	Coming Soon	
R-NET-30C32-73T16-AC-BAT	Coming Soon	
R-NET-30C32-73T16-DC-BAT	Coming Soon	
R-NET-30C16-73T32-AC	Coming Soon	
R-NET-30C16-73T32-DC	Coming Soon	
R-NET-30C16-73T32-AC-BAT	Coming Soon	
R-NET-30C16-73T32-DC-BAT	Coming Soon	
R-NET-30D16-73T16-AC	Coming Soon	
R-NET-30D16-73T16-DC	Coming Soon	
R-NET-30D16-73T16-AC-BAT	Coming Soon	
R-NET-30D16-73T16-DC-BAT	Coming Soon	
R-NET-30D32-73T16-AC	Coming Soon	
R-NET-30D32-73T16-DC	Coming Soon	
R-NET-30D32-73T16-AC-BAT	Coming Soon	
R-NET-30D32-73T16-DC-BAT	Coming Soon	
R-NET-30D16-73T32-AC	Coming Soon	
R-NET-30D16-73T32-DC	Coming Soon	
R-NET-30D16-73T32-AC-BAT	Coming Soon	
R-NET-30D16-73T32-DC-BAT	Coming Soon	
R-NET-30C16-73R16-AC	Coming Soon	

PC-38X	24Chan DIG I/O Driver (85mA)	\$	160.00
PC-43E	8Chan Opto-Isolator (0-28V)	\$	113.00
PC-43B	16Chan Opto-Isolator with 16ch DIG O/P & 16ch DIG I/P Connectors (0-28V)	\$	183.00
PC-43C	24Chan Opto-Isolator (0-28V)	\$	228.00
PC-43D	8Chan Opto-Isolator; 8Chan DIG I/O Drivers & 8Chan DIG I/O Conn	\$	199.00
PC-51-8	Carrier Board for (8x) OPTO-22 DIG I/O Modules	\$	171.00
PC-51-16	Carrier Board for (16x) OPTO-22 DIG I/O Modules with 16Chan DIG O/P & 16Chan DIG I/P Connectors	\$	314.00
PC-51-24	Carrier Board for (24x) OPTO-22 DIG I/O Modules	\$	457.00
PC-52-2	2Channel Carrier Board for 5B Modules	\$	342.00
PC-52-4	4Channel Carrier Board for 5B Modules	\$	570.00
PC-52-8	8Channel Carrier Board for 5B Modules	\$	799.00
Cabling			
IDC10	10-way IDC ribbon cable with (F) 2.54mm connectors -0.5m	\$	5.00
IDC16	16way IDC ribbon cable with (F) 2.54mm connectors -0.5m	\$	10.00
IDC20	20way IDC ribbon cable with (F) 2.54mm connectors -0.5m	\$	17.00
IDC26	26way IDC ribbon cable with (F) 2.54mm connectors -1m	\$	19.00
IDC40	40way IDC ribbon cable with (F) 2.54mm connectors -1m	\$	22.00
IDC50	50way IDC ribbon cable with (F) 2.54mm connectors -1m	\$	28.00
IDC26-1	26way IDC ribbon cable with (F) 2.00mm connectors -1m	\$	22.00
IDC40-1	40way IDC ribbon cable with (F) 2.00mm connectors -1m	\$	28.00
DB9M/F	9way DB9 (M) to DB9 (F) 1m screened cable - 1m	\$	10.00
DB15M/F	15way DB15 (M) to DB15 (F) 1m screened cable - 1m	\$	14.00
DB25M/F	DB25 (M) to DB25 (F) 1m screened cable - 0.5m	\$	17.00
DB37M/F	DB37 (M) to DB37 (F) 1m screened cable - 1m	\$	19.00
DB37F/F	DB37 (F) to DB37 (F) 1m screened cable - 1m	\$	22.00
DB50M/F	DB50 (M) to DB50 (F) 1m screened cable - 1m	\$	28.00
DB50F/F	DB50 (F) to DB50 (F) 1m screened cable - 1m (for PC-58/41)	\$	28.00
CENT-50M/M	50way SCSI-II Centronics (M) to DB50 (M) - 1m	\$	141.00
SCSI-C50MM	SCSI-Centronics (M) to (M) 1m screened cable - 1m	\$	155.00
SCSI-C68MM	68way DB50 (M) to (M) SCSI-Centronics 1m screened cable - 1m	\$	138.00
SCSI-D68MF	68way SCSI-II DSub (M) to (F) - 1m	\$	136.00
SCSI-D68MF-S	68way SCSI-II DSub (M) to (F) - 1m (Used with PCI-703S)	\$	223.00
SCSI-D100MF	100way SCSI-II DSub (M) to (F) - 1m	\$	279.00
Y-Cable1	68way SCSI-II DSub (F) to (2x) DB37 (F) - 1m	\$	101.00
Y-Cable2	50way DB50 (M) to (2x) DB25 (M) - 1m	\$	61.00
Y-Cable3	100way SCSI-II DSub (M) to (1x) DB37 (F) - 1m	\$	162.00
Y-Cable4	68way SCSI-II DSub (F) to (2x) DB37 (F) - 1m	\$	108.00
Y-Cable5	DB37 to 3 x ID10 Cables	\$	72.00
GC-1	Gender Changer DB37 (M) to DB37 (M)	\$	8.00
GC-2	Gender Changer DB37 (F) to DB37 (F)	\$	8.00
CAB-SRL-IPAQ	Serial to iPAQ cable - allows Connection of the Serial MicroDAQ series to an iPAQ PDA	\$	28.00
DB9F/F	DB9 Female to Female Cable For RS232 MicroDAQ series	\$	22.00
CAB-USB	2.0M USB 2.0 Cable (supplied with all USB MicroDAQ Products)		
ADPT-RTD	RDT Adapter Board	\$	155.00
Bridge Amplifier	Bridge Amplifier Module	\$	88.00
DAQ-S69	Multi Purpose Programmable Control Unit: 4 x TTL I/O, 4 Opto Isolated Inputs, 4 Electromechanical Relays SPDT 5A 250VAC, 4 LEDs, RS232/485 Full Duplex Port, A8051 MicroProcessor, DIN Rail Mount	\$	121.00
DAQ-S69 QTY 5+	Multi Purpose Programmable Control Unit: 4 x TTL I/O, 4 Opto Isolated Inputs, 4 Electromechanical Relays SPDT 5A 250VAC, 4 LEDs, RS232/485 Full Duplex Port, A8051 MicroProcessor, DIN Rail Mount	\$	114.00
SSA Turnstile	Multi Purpose Programmable Control Unit: 4 x TTL I/O, 4 Opto Isolated Inputs, 4 Electromechanical Relays SPDT 5A 250VAC, 4 LEDs, RS232/485 Full Duplex Port, A8051 MicroProcessor, DIN Rail Mount	\$	247.00
DAQ-S69-Programmer	USB Programmer for Multi Purpose Programmable Control Unit - includes 1.8M USB Cable and ISP Cable and CD	\$	184.00